


SIA PERFO



AUTOMOTIVE BODY REPAIR PRODUCTS

ABRASIVES • POLISHING & COMPOUNDING • SEALANTS & ADHESIVES
FILLERS, PUTTIES & FIBRE GLASS • MIXING & SPRAYING
MASKING • CLEANING • HEALTH & SAFETY

FinishLine
Designed and developed by Abcon

MASTER
SERVICE

RUPES

Farécla

MONOPOL
Peintures - Paints - Pinturas - Farben - Verf

DREUMEX

PFERD

sia

Sika

VIRTUS
M

Hilka



Our range of products for the automotive refinishing industry has expanded significantly in the last two years. We offer a complete finishing system which includes products from brands including:

FINISHLINE
VIRTUS & FARECLA (Polishing Compounds)
SIKA (Sealants)
RUPES (Sanders, Polishers and Dust Extraction)
MONOPOL (Commercial Paints)

We also supply all of the consumables that bodyshops use on a day-to-day basis. Whether you are sourcing peelable spray booth coating, mixing boards and cups, spreaders, masking tape, foam tape, spray guns, disposable suits, spill kits or anything else you can think of, we aim to be your one stop shop. These products along with a SIA range of Swiss abrasives to supplement our own manufactured products ensure that you will find all of your refinishing and detailing supplies with us.


CALL NOW
049 555 2340

FinishLine



for more details log on
www.abconireland.com

FINISH LINE	
Body Fillers	6-7
Clear Coats	8
Primers	9
Ancillaries	10-11
Pads and Blocks	12
Miscellaneous	13
Quick Change Discs and Abrasives	14-15

	VELCRO DISCS	16
	SIA siaflex Siaspeed multihole performance discs 815 siastop SIA 1947 economy 1950 Siaspeed Microfilm Sia Blocks Kit Carbon Blocks Sia Velvet Sia Carat Sia 7900 sianet	

	VELCRO STRIPS	22
	80 x 133 8 Holes 70 x 198 8 Holes 70 x 420 14 Holes 115x228 10/18 Holes	

	SANDPAPER & FLEECE	25
	Sponged Sandpaper Roll Emery & Sandpaper Rolls Sanding Sheets Fleece Pads & Rolls	

	SIKA	28
	Sealers and Adhesives	

	FARECLA	31
	Polishing Compounds WAX Protection	

	VIRTUS	35
	Polishing Compounds WAX Protection	

	POLISHING HEADS	38
	Compounding, Buffing, Polishing Heads and Backing Pads - M14	

	BACKING PADS & BLOCKS	40
	5/16" & M8 Backing Pads Foam Interface Pads Pad Savers Sanding Blocks	

	CLEANING PRODUCTS	43
	Microfibre Towels & Tack Cloth Applicator Pads Spill Kits & Paper Rolls Wipes & Rags	

	MIXING PRODUCTS	47
	Mixing Borads & Spreaders Mixing Cups & Leads Paint Strainers	

	MASKING PRODUCTS	50
	Tapes & Foam Tapes Masking Tapes Masking Paper & Film	

	SPRAY GUNS	54
	Gravity Feed Spray Guns Suction Spray Guns Paint Gun Strainers Spray Gun Holder Water Tap	

	TECHNICAL AEROSOLS	55
	Paint, Primers, Clear Coats, Zinc Protection etc.	

	UNIPLAST	56
	Hot Stapler & Staples	

	GENERAL ABRASIVES	58
	Clean & Strip Tools Cutting & Grinding Discs File Belts & Mini Discs Spindle Mounted Wheels TC Burrs	

	WIRE BRUSHES	65
	Wire Cup & Wheel Brushes Spindle Mounted Wire Brushes Wire Brush Retail Displays	

	TOOLS	67
	Electric Sander & Polisher Mini Pneumatic Tools Air Orbital Sander MBX Metal Blacter Kit	

	RUPES TOOLS	70
	Pneumatic Tools Electric Tools Rupes Big Foot Range Foam Polishing Pads Compounds	

	MONOPOL	99
	Commercial & Industrial Paints Cromatic Mixing System	

	SHINE MATE	100
	Range of Sanders Battery Pack Battery Charger Sanding Block	

	MULTIMASTER	103
	Primers Acrylics Thinners Grease & Residue Remover Polyfill Basecoat Thinner	

	OTHER PRODUCTS	108
	Miscellaneous	

	HEALTH & SAFETY	110
	Gloves & Gauntlets Safety Glasses Disposable Suits Ear Defenders & Ear Plugs Masks & Respirators	

	DREUMEX	116
	Special, Plus & Classic Series Hand Care & Protection Hand Wipes Dispensers	

BODY FILLERS

Sprayfill
 2K Polyester Sprayable Body Filler


DRYING TIME: 15-20min@20°C
 FILM THICKNESS: 30µm
 NORMAL COATS: 2
 RECOAT AFTER: 20min
 SANDING AFTER: 3h
 ANTI-CORROSIVE

Sprayfill 2K Polyester Sprayable Bodyfiller 3.7 litre. Excellent adhesion on various substrates including GRP, Metal, Wood, Polyester Laminates and Hard Plastic. Excellent flow and filling properties enabling it to be applied over large areas Filling both small and deeper imperfections (pinholes and sanding marks) easily. Very easy sanding

7400.10070 (Grey 3.7Ltr)

Glass Fibre Reinforced Putty


WORKING TIME: 3-5mins
 DRYING TIME: 16-30min
 SANDING: P120-320

Glass fibre reinforced putty for all deep filling and bridging works. Excellent sanding properties. Can be used on all applications.

7400.10075 (1.8Kg)
7400.10076 (500g)

Feather Sand
 Lightweight Putty


WORKING TIME: 4-6mins
 DRYING TIME: 20-30min
 SANDING: P120-320

Multifunctional lightweight putty. 25% lighter than standard putties. Very easy application and easy sanding, with no sand paper clogging. Good for larger surface areas.

7400.10084 (4.5Kg)

Fibre DIY
 2K Fibreglass Repair Kit


Fast curing Polyester Repair Kit for the repair of rust holes and GRP components. Kit includes hardener and glass-fiber-mat. Quick-drying polyester resin filters the mat and glass cloth excellently. Easy application.

Contains additives which cause the reduction of styrene emissions during and after application, as well as an additive which causes the hardened laminate not to have a sticky surface after drying, which is particularly important when machining with abrasive materials. Excellent adhesion to steel surfaces. For car body repairs, construction and home DIY).

7400.10071 (250g)

BODY FILLERS

Easy Sand
 2K Flowable Filler


DRYING TIME: 2.5-3h@20°C
 DRYING TIME: 15-20min@60°C
 FILM THICKNESS: 40-180µm
 NORMAL COATS: 1-2

2K Easy Sand Flowable Filler. Finish Line Liquid Glaze is a flowable polyester filler putty for finishing, blending and skim coating bodywork, pinholes, grind marks, low spots, and other surface imperfections. This putty adheres well to steel, galvanized, other zinc coated steel, aluminium, and most rigid to semi-rigid fiberglass and thermo-set plastics. Has a higher resin content than traditional fillers which makes it less porous. This ensures lower moisture penetration and lower absorption of primer. Process time is therefore faster & a non-shrinkage finish is ensured.

1 litre 7400.10083 (1Ltr)

Multi Putty
 Universal Plastic Putty


25% Lighter
 Easy Application
 No Sandpaper Clogging

Multifunctional lightweight putty. 25% lighter than standard putties. Very easy application and easy sanding, with no sand paper clogging.

7400.10081 (500g)

Multi-Fill
 Multifunctional Putty


WORKING TIME: 3-5mins
 DRYING TIME: 20min
 SANDING: P120-320

Combines the deep filling properties of a fill-putty with the high surface quality of a finishing putty. Due to its excellent density it has very good shaping properties.

It can also be used as a finishing putty, leaving a smooth surface without pores. Excellent sanding properties.

7400.10080 (1.8Kg)

Multi Putty
 1K NC Multi Putty


WORKING TIME: 3-5mins
 DRYING TIME: 16-30min
 SANDING: P120-320

1K NC Multi Putty 200g Multifunctional lightweight putty. 25% lighter than standard putties. Very easy application and easy sanding, with no sand paper clogging.

7400.10082 (200g)

CLEAR COATS

Diamond Clear
2K HS Clear Anti Scratch

High gloss, Great UV stability, resistance guarantee and excellent appearance and durability. Efficient drying times to match all conditions.

7400.10017 (1.5Ltr)

Diamond Clear Hardener

7400.10100 Fast (500ml)
7400.10110 Fast (2.5Ltr)

Diamond Clear Extreme
2K HS Clear Coat Extreme

Designed for use on solvent and waterborne basecoats Superior gloss depth and retention Excellent Flow and levelling 1 & 1/2 Coats Mix Ratio 2:1 No Thinners required 60 Minute pot life for multi panel coating Ready to Handle in 45 mins @ 20 degrees Air Dry

NEW!

7400.10016 (1.0Ltr)
7400.10019 (5.0Ltr)

Diamond Clear Hardener

7400.10210 Fast (500ml)
7400.10103 Fast (2.5Ltr)

E-Pox Primer and Hardener
2k Epoxy Primer Hardener 2:1

Quality 2K Epoxy Primer with strong adhesion to various metal substrates and excellent corrosion resistance. Easy application, fast drying time, and better sanding properties than standard epoxy primers. It can be applied on metal substrates (steel, zinc-coated steel, aluminium, Galvanised steel), sanded e-coats, and old or original paintwork. It can also be applied on or underneath the Bodyfiller. Designed to be used both as a wet-on-wet or sandable.

**E-Pox Primer**
2K Epoxy Primer

7400.10068 (10Ltr)

E-Pox Hardener

2K Epoxy Primer Hardener
7400.10069 (5Ltr)

2K Diamond Clear Ultra HS
Clearcoat Fast Anti-Scratch

Finishline Diamond Clear Ultra HS. High solid Anti Scratch Clear coat with best in class Flow and Gloss Level in the HS-category. Very easy application, allows a safe application in all working environments. Very good chemical, mechanical, weather and UV resistance. Fast Air Drying properties from 1-2 hrs or 15 Minute Bake for polishing hardness. Designed for both solvent and waterborne base coats



7400.10018 (5.0Ltr)

Diamond Clear Ultra HS Fast Hardener

Diamond Clear 2K Hardener

7400.10102 Fast (2.5Ltr)

PRIMERS

Primer 41
2K Fast-Dry Acrylic Primer

DRYING TIME: 2.5-3h@20°C
DRYING TIME: 15-20min@60°C
FILM THICKNESS: 40-180µm
NORMAL COATS: 1-2

Excellent filling properties as well as great adhesion to the puttied surface. Quick drying and easy sanding. Available in Grey/Black/White.

7400.10030 (1.25Ltr Set) – Grey 7400.10035 (3.6Ltr) – Grey
7400.10031 (1.25Ltr Set) – Black 7400.10036 (3.6Ltr) – White
7400.10032 (1.25Ltr Set) – White 7400.10037 (3.6Ltr) – Black

Primer 41 Hardener
Hardener for 2K Primer 41

7400.10350 (900ml)

Primer 61
Wet on Wet Multipurpose Primer

DRYING TIME: 15-20min@20°C
FILM THICKNESS: 30µm
NORMAL COATS: 2
RECOAT AFTER: 20min
SANDING AFTER: 3h
ANTI-CORROSIVE

Multipurpose Primer for Wet on Wet application or sanding version. Very good flow and isolation properties. Topcoat after 20 minutes, or sanding after 3 hours and 20 deg C.

7400.10055 (Grey 3.5Ltr) 7400.10060 (Grey 20.0Ltr)

Primer 61 Hardener
Hardener for 2K Primer 61

7400.10550 (600ml) 7400.10600 (4.0Ltr)

Etch 1000
Epoxy Etch Primer

1K Etch Primer with Epoxy acrylic resins. Fast Drying filler for quick, small and medium repairs.

Exceptional insulating and high anti-corrosive properties on new panels. Perfect Adhesion to steel, galvanized steel, aluminium, putties, old paints and plastics (with the exception of PE and PP).

1K Epoxy 1000 creates an elastic, smooth and very easy to sand surface. Very high quality, quick and durable product for the body repair process with only 20 minutes air drying time needed before sanding.

VOC Compliant; 2004/42/IIIB(c)(540) max.
540g/l.

7400.10063 (1Ltr)
7400.10064 (4Ltr)



ANCILLARIES

Classic Stone Chip Protection Based on Rubber and Resins



DRYING TIME: 30-60min@20°C

Our Classic Stone Chip Protection is based on rubber and resins, has both anti-corrosive and sound deadening qualities. Fully over paintable.

7400.10090 (Black 1.0Ltr)
7400.10091 (White 1.0Ltr)
7400.10092 (Grey 1.0Ltr)

Accelerator 1Ltr Drying Time Enhancer



Enhance drying times of our Primers, Clears and Topcoats by up to 20%. Special additive for improving drying times on all Finish Line ancillaries Products:

7400.10420 (1.0Ltr)

2K Uni Hardener (Fast) Use for 2K Acrylic Products in Range

7400.1080 (1.0Ltr)
7400.1081 (2.5Ltr)
7400.1082 (5.0Ltr)



Fade Out Fade Out Thinner

FinishLine Fade Out Thinner —a premium-grade thinner crafted for seamlessly blending fresh clearcoat or 2K finishes with your current paint job.

Our FinishLine Fade Out Thinner is a rapid-drying solution, ideal for effortlessly fading out edges of clearcoat and 2K solid colors.



Key Features:

- Quick Drying
- Easy Application
- Decreases Film Thickness
- Seamlessly Blends New Finish with Old

7400.10430 (1Ltr)

ANCILLARIES

2K Thinner Use for 2K Acrylic Products in Range



7400.1040 (1.0Ltr)
7400.10410 (5.0Ltr)

Degreaser Solvent Based Degreaser



Solvent based degreaser for general surface preparation prior to painting.

7400.10250 (5.0Ltr)

FinishLine



PADS AND BLOCKS

Foam
Compounding Foam

150x50 White M14

4326.44635

**Polishing Foam**

150x50 Black M14

4326.44640



**YOUR ONE STOP SHOP
FOR BODY SHOP
CONSUMABLES**

CALL +353 (0) 49 555 2340

Interface Pad

150mm 15 hole


4328.0180

**Flexible Block**Flexible Split
Soft Sanding Block
150 X 90mm

7016.0024

**Flexible Block**Flexible Sanding Block
150 X 90mm
Multi Cut

7016.0023

**Paper Floor Mats**
Compounding FoamPaper Floor Mats
(box of 250)
smooth (10 pack)


1600.0320

**Sound Deadening Pads**250x500mm
1600.4009500x500mm
1600.4010

MISCELLANEOUS

Masking Paper

Size	Code
12" / 300mm	1600.0307
18" / 450mm	1600.0305
24" / 600mm	1600.0311
36" / 900mm	1600.0306
48" / 1200mm	1600.0309

Paint Absorbent Masking Film4x150m Roll
1600.0302B5x120m Roll
1600.0303**Paint Gun Strainers**Gravity Feed 10PK
1620.3008Suction
Iwata Graco 10PK
1620.3009
DeVil Sagola 10PK
1620.3010**Car Seat Covers**Car Seat Covers
TSC100 (box 100)

1600.0308

**Safety Cutting Blade**RAZOR
Bohemian
Safety Blades
(100Pk)
1620.3001
Holder for Blade
1620.3000**Blade**Plastic Sheeting
Safety Cutting Blade
(10Pk)

1600.1027

**Beetroot Board**

(1 x 100 sheet)

1600.1019



QUICK CHANGE DISCS AND ABRASIVES

QUICK CHANGE DISCS ZK – Zirconia Alumina

Zirconia Alumina ZK type is suitable for all metals
Extended lifetime
Aggressive cutting power
Cool cut

Product Profile

Available sizes: 25, 38, 50, 75mm
Mounting styles: SD, RD
Grit Range: P24-120
Backing: 2ply




SD TYPE

Screw connection with
Inner metal thread



Dia/Grit	24	36	40	60	80	120
25	SD25 ZK-024	SD25 ZK-036	SD25 ZK-040	SD25 ZK-060	SD25 ZK-080	SD25 ZK-120
38	SD38 ZK-024	SD38 ZK-036	SD38 ZK-040	SD38 ZK-060	SD38 ZK-080	SD38 ZK-120
50	SD50 ZK-024	SD50 ZK-036	SD50 ZK-040	SD50 ZK-060	SD50 ZK-080	SD50 ZK-120
75	SD75 ZK-024	SD75 ZK-036	SD75 ZK-040	SD75 ZK-060	SD75 ZK-080	SD75 ZK-120

RD TYPE Screw
connection with outer
plastic thread



Dia/Grit	24	36	40	60	80	120
25	RD25 ZK-024	RD25 ZK-036	RD25 ZK-040	RD25 ZK-060	RD25 ZK-080	RD25 ZK-120
38	RD38 ZK-024	RD38 ZK-036	RD38 ZK-040	RD38 ZK-060	RD38 ZK-080	RD38 ZK-120
50	RD50 ZK-024	RD50 ZK-036	RD50 ZK-040	RD50 ZK-060	RD50 ZK-080	RD50 ZK-120
75	RD75 ZK-024	RD75 ZK-036	RD75 ZK-040	RD75 ZK-060	RD75 ZK-080	RD75 ZK-120

FinishFlex Sheets

130mm x 170mm Sheets


Grit	600	800	1500	2000	3000
Code	7190.10600F	7190.10800F	7190.11500F	7190.12000F	7190.13000F
Colour	Blue	Yellow	Orange	Lime	Grey



Assilex Pad

V10 Interface Pad 8 x 130 8 Hole Assilex

Code 4326.32720




ABRASIVES

Zirconia File Sander Belts

Abcon is the only converter of Abrasive Discs
and Belts in Ireland and we can manufacture
any size to suit your requirement!

Available in Grits
36 – 60 – 80 – 120



Part No	Size	Pack QTY	Min Order
ABN006X00305VBQ-Grit	06x305	10	200
ABN013X00305VBQ-Grit	13x305	10	200
ABN010X00330VBQ-Grit	10x330	10	200
ABN003X00457VBQ-Grit	03x457	10	200
ABN006X00457VBQ-Grit	06x457	10	200
ABN013X00457VBQ-Grit	13x457	10	200
ABN006X00520VBQ-Grit	06x520	10	200
ABN013X00520VBQ-Grit	13x520	10	200
ABN020X00520VBQ-Grit	20x520	10	200
ABN006X00533VBQ-Grit	06x533	10	200
ABN010X00533VBQ-Grit	10x533	10	200
ABN013X00533VBQ-Grit	13x533	10	200
ABN006X00610VBQ-Grit	06x610	10	200
ABN013X00610VBQ-Grit	13x610	10	200


Velcro Discs

6+1 Hole Velcro Discs

Grit	80	120	150	180
Code	7131.0080F	7131.0120F	7131.0150F	7131.0180F
Grit	240	320	400	500
Code	7131.0240F	7131.0320	7131.0400F	7131.0500F



1948 siaflex Velcro Discs



Size	Grit	PU	OU	7 Hole	Multi Hole
150	40	50	500	7172.2040	---
150	60	50	500	7172.2060	---
150	80	100	600	7172.2080	7157.5080
150	120	100	600	7172.2120	7157.5120
150	150	100	600	7172.2150	---
150	180	100	600	7172.2180	7157.5180
150	240	100	600	7172.2240	7157.5240
150	320	100	600	7172.2320	7157.5320
150	400	100	600	7172.2400	7157.5400
150	500	100	600	7172.2500	7157.5500
150	600	100	600	---	7157.5600

1948 siaflex Velcro Discs

Size	Grit	PU	OU	Part No
150	40	50	500	7168.1040
150	60	50	500	7168.1060
150	80	100	600	7168.1080
150	100	100	600	7168.1100
150	120	100	600	7168.1120
150	150	100	600	7168.1150
150	180	100	600	7168.1180
150	220	100	600	7168.1220
150	240	100	600	7168.1240
150	320	100	600	7168.1320
150	400	100	600	7168.1400
150	500	100	600	7168.1500
150	600	100	600	7168.1600



Size	Grit	PU	OU	Part No
200	40	50	500	7169.0040
200	60	50	500	7169.1060
200	80	100	600	7169.0080
200	120	100	600	7169.0120

Siaspeed Multihole Performance Discs



Part No.	Product	Size	Type	Holes	Discs	
7179.5000	SIA 1950 FiboTech	150mm	Starter Kit	Velcro Disc	119	20

+ Backing Pad Rupes or Festool


Part No.	Product	Size	P No.	Type	Holes
7179.5080	SIA 1950 Multihole	150mm	P80	Velcro Disc	57
7179.5120	SIA 1950 Multihole	150mm	P120	Velcro Disc	81
7179.5150	SIA 1950 Multihole	150mm	P150	Velcro Disc	81
7179.5180	SIA 1950 Multihole	150mm	P180	Velcro Disc	81
7179.5240	SIA 1950 Multihole	150mm	P240	Velcro Disc	81
7179.5320	SIA 1950 Multihole	150mm	P320	Velcro Disc	81
7179.5400	SIA 1950 Multihole	150mm	P400	Velcro Disc	81

1815 siatop Reinforced Velcro Discs No Holes
Power Cut for Metal Surfaces.




Grit	PU	OU	115mm	150mm
40	50	500	7110.0040	7119.0040
60	50	500	7110.0060	7119.0060
80	100	600	7110.0080	7119.0080
120	100	600	7110.0120	7119.0120

SIA ONE 1944 Velcro Discs 6+1 Hole



Size	Grit	Hole	PU	OU	Part No
150	120	6+1	50	700	7173.2120
150	180	6+1	50	700	7173.2180
150	240	6+1	50	700	7173.2240
150	320	6+1	50	700	7173.2320
150	400	6+1	50	700	7173.2400
150	5000	6+1	50	700	7173.2500

SIA ONE 1944 Velcro Discs 15 Hole




Size	Grit	Hole	PU	OU	Part No
150	40	15	50	600	7173.2040.15
150	60	15	50	600	7173.2060.15
150	80	15	50	600	7173.2080.15

1950 siaspeed Velcro Discs



Size	Grit	PU	OU	No Holes
150	40	50	500	7177.0040
150	60	50	500	7177.0060
150	80	100	600	7177.0080
150	100	100	600	7177.0100
150	120	100	600	7177.0120
150	150	100	600	7177.0150
150	180	100	600	7177.0180
150	220	100	600	---
150	240	100	600	7177.0240
150	320	50	600	7182.0320
150	400	50	600	7182.0400
150	500	50	600	7182.0500

Sia 1950 80mm/75mm Discs



Part No.	Product	Size	P No.	Type	Holes
7139.5040	SIA 1950	80mm / 75mm	P40	Velcro Disc	No Holes
7139.5060	SIA 1950	80mm / 75mm	P60	Velcro Disc	No Holes
7139.5080	SIA 1950	80mm / 75mm	P80	Velcro Disc	No Holes
7139.5120	SIA 1950	80mm / 75mm	P120	Velcro Disc	No Holes
7139.5150	SIA 1950	80mm / 75mm	P150	Velcro Disc	No Holes
7139.5180	SIA 1950	80mm / 75mm	P180	Velcro Disc	No Holes
7139.5240	SIA 1950	80mm / 75mm	P240	Velcro Disc	No Holes
7139.5320	SIA 1950	80mm / 75mm	P320	Velcro Disc	No Holes
7139.5400	SIA 1950	80mm / 75mm	P400	Velcro Disc	No Holes

Micro Film Velcro Discs Suitable for Dry sanding / Denibbing



(Pack of 50 pcs.)

125mm		
Grit	Dia.	No Holes
800	125	7187.0800
1000	125	7187.1000
1200	125	7187.1200
1500	125	7187.1500
2000	125	7187.2000

150mm				
Grit	Dia.	No Holes	7 Hole	9 Hole
800	150	7182.0800	7183.0800	7184.0800
1000	150	7182.1000	7183.1000	7184.1000
1200	150	7182.1200	7183.1200	7184.1200
1500	150	7182.1500	7183.1500	7184.1500
2000	150	7182.2000	7183.2000	7184.2000

Features:

- Open coat stearated
- Excellent Cutting Performance
- Longer lasting life and durable
- Perfect Sanding Surface
- Especially, excellent for contour sanding without folding

The comparison between standard paper discs and Micro Film Discs.



The plastic film backing is proven to prolong the life of the disc to last 5-6 times longer than cheaper paper discs and 3 times longer than a high quality paper disc. They also speed up the sanding process as more area is sanded than with a standard paper disc. This is because of the unique plastic film surface, there is no build up or clogging and will remove 5% more material in the same time than with a quality paper disc.


50 and 75mm Mini Velcro Discs

Available Grits: P80-120-150-180-240-320



(Pack of 50 pcs.)

Size	Series	PU	OU	Part No
50	1947	50	100	7139.2 State Grit
75	1947	50	100	7139.0 State Grit



Daisy disc holder

Double-sided block for self-adhesive mini discs and Velcro.

Part No
7029.100318


Round Adhesive Mini-Discs



Round adhesive mini-discs for removing minor imperfections such as specks, dust, dirt.

Description	Grit	Part No
Mini-Discs	1000	70296.1000
Mini-Discs	2000	70296.2000
Mini-Discs	3000	70396.3000

SIA Hand Block Blue/White



Size	Part No.
75 x 125	7004.0001

SIA Rubber Sanding Block



70 x 125	7016.0040
----------	-----------

SIAFAST Sanding Block -



Size	Part No.
75 x 125	7016.0022

KIT CARBON BLOCKS G800, G1500, G3000 – Level



Part No.

4323.100815

Velvet Velcro Discs No Holes

Producing a matt finish on conventional lacquers.




Applications:


- Final sanding of filler in hard-to-reach areas
- Fine sanding of flatted surfaces prior to polishing
- Final sanding of solid surface

Application	Size	Grit	PU	OU	Part No
Use for blending panels and scotching bumpers	150	1000	10	60	7152.1000
Use for de-nibbing the base coat while still in the spray booth	150	2000	10	60	7152.2000
Use for final surface preparation before polishing	150	3000	10	60	7152.3000
Use for extra fine finish for very dark or prestige vehicles	150	4000	10	60	7152.4000

1 velvet Net backed abrasive



2 Foam cushioning




3 siafast fastening system



Siacarat Diamond Siafast Velcro Discs No Holes

Matt and refined finishing of very hard surfaces such as scratch resistant clear coats and lacquers.



Description:

siacarat velvet – a brilliant solution when the progress is slow and difficult. The ingenious velvet technology combines the refined velvet net backed abrasive with a special foam cushioning to equalize application pressure and the well proven siafast fastening system.

Application	Size	Grit	PU	OU	Part No
Use for pre-sanding	150	500	2	20	7178.0500
Use for blending panels and scotching bumpers	150	1000	2	20	7178.1000
Use for de-nibbing the base coat while still in the spraybooth	150	2000	2	20	7178.2000
Use for final surface preparation before polishing	150	3000	2	20	7178.3000


1 velvet Net backed abrasive



2 Foam cushioning



3 siafast fastening system



sianet

The powerful Net-backed abrasive



Net-backed Discs & Strips – sianet

The special net structure of sianet enables dust-free sanding with the highest abrasive performance.

- **Full-surface dust extraction**
- **High removal rate without clogging**
- **Very efficient and productive**
- **High tear resistance, thanks to sturdy net backing**



Net-backed Discs 150mm

Size	Grit	PU	Part No
150	80	50	7123.5080
150	120	50	7123.5120
150	150	50	7123.5150
150	180	50	7123.5180
150	240	50	7123.5240
150	320	50	7123.5320
150	400	25	7123.5400



Net-backed Strips 70x420mm

Size	Grit	PU	Part No
150	80	50	7123.9080
150	120	50	7123.9120
150	150	50	7123.9150
150	180	50	7123.9180
150	240	50	7123.9240
150	320	50	7123.9320
150	400	25	7123.9400

Sia Velvet 80mm Velcro Desc Range


Part No.	Product	Size	Type	P No.
7155.1000	SIA Velvet	80mm	Velcro Disc	P1000
7155.1500	SIA Velvet	80mm	Velcro Disc	P2000
7155.2000	SIA Velvet	80mm	Velcro Disc	P3000
7155.3000	SIA Velvet	80mm	Velcro Disc	P4000
7155.4000	SIA Velvet	80mm	Velcro Disc	P5000



1950 siaspeed siafast Velcro Strips

- 8 Hole

High-performance sanding mineral ensures very high removal rate and long life




Product Description	Part No
Gold 80x133 8 hole P80 Velcro Strip	7012.1080
Gold 80x133 8 hole P100	7012.1100
Gold 80x133 8 hole P120 Velcro	7012.1120
Gold 80x133 8 hole P180 Velcro	7012.1180
Gold 80x133 8 hole P240 Velcro	7012.1240
Gold 80x133 8 hole P320 Velcro	7012.1320
Gold 80x133 8 hole P60 Velcro Strip	7012.1060

1950 siaspeed siafast Velcro Strips

- 14 Hole

High-performance sanding mineral ensures very high removal rate and long life




SIA1950 Velcro Strips with New Multihole System

Size	Grit	PU	OU	Part No
70x420	40	50	500	7010.0040
70x420	60	50	500	7010.0060
70x420	80	100	600	7010.0080
70x420	120	100	600	7010.0120
70x420	180	100	600	7010.0180
70x420	240	100	600	7010.0240
70x420	320	100	600	7010.10320
70x420	400	100	600	7010.10400

1950 siaspeed siafast Velcro Strips

- 8 Hole

High-performance sanding mineral ensures very high removal rate and long life



Size	Grit	PU	OU	Part No
70x198	40	50	500	7015.0040
70x198	60	50	500	7015.0060
70x198	80	100	600	7015.0080
70x198	120	100	600	7015.0120
70x198	180	100	600	7015.0180
70x198	240	100	600	7015.0240

1950 siaspeed siafast Velcro Strips

- 10/18H

High-performance sanding mineral ensures very high removal rate and long life



Size	Grit	PU	OU	Part No
115x228	40	50	500	7009.0040
115x228	60	50	500	7009.0060
115x228	80	100	600	7009.0080
115x228	120	100	600	7009.0120
115x228	180	100	600	7009.0180
115x228	240	100	600	7009.0240
115x228	320	100	600	7009.10320
115x228	400	100	600	7009.10400

SO168 FinishLine Handblock & Multi Hole Velcro Strips Offer
High-performance sanding mineral ensures very high removal rate and long life



Special Offer SO168


Kit includes:.

- **1 No 70 x 420 Multihole Handblock**
- **1 No 70 x 198 Multihole Handblock**
- **3 No Packs of 25 70 x 420 Multihole Strips (option of 3 grits from list P40-P400)**

SPECIAL OFFER!

Product Description	Part No
FinishLine Multihole Handblock 70x420	7016.0020
FinishLine Multihole Handblock 70x198	7016.0010

Siaspeed Fleece - Perforated Non Woven
1/2 Handpads for Scotching



Part No	Description	NU	D
4616.4151	Velcro C&F Disc Fine 150mm 6 hole Sifleece		
4616.4152	Velcro C&F Disc UltraFinS Grey150mm 6 hole Sifleece		
4616.4153	Velcro C&F Disc Med S 150mm 6 hole		
4616.4150	Velcro C&F Disc VFinA XS 150mm 6 hole6 hole		

Siaspeed Siasoft Sponge Backed Roll - 115mm x 25M
Pre-sanding of curves, edges and shaped forms

Size	Grit	PU	OU	Part No
115mm x 25M	150	1	1	7206.0150
115mm x 25M	180	1	1	7206.0180
115mm x 25M	240	1	1	7206.0240
115mm x 25M	320	1	1	7206.0320
115mm x 25M	400	1	1	7206.0400
115mm x 25M	500	1	1	7206.0500
115mm x 25M	600	1	1	7206.0600
115mm x 25M	800	1	1	7206.0800



Emery Roll - General Purpose (50M)

High performance emery cloth for long life

Width	Part No
25mm	7222.State grit
40mm	7221.State grit
50mm	7220.State grit
100mm	7223.State grit
115mm	7224.State grit



Premium Paper Rolls (1919 Siawood Production Sandpaper)

Pre-sanding of curves, edges and shaped forms

Grit	PU	OU	115mm x 50M	70mm x 50M
40	1	1	7250.0040	7250.3040
60	1	1	7250.0060	7250.3060
80	1	1	7250.0080	7250.3080
100	1	1	7250.0100	---
120	1	1	7250.0120	7250.3120
150	1	1	7250.0150	7250.3150
180	1	1	7250.0180	7250.3180
220	1	1	7250.0220	---
240	1	1	7250.0240	7250.3240
280	1	1	7250.0280	---
320	1	1	7250.0320	7250.3320
400	1	1	7250.0400	7250.3400



70mm x 50M Rolls!

Wide range of Special Sized rolls in Paper, Cloth or Non Woven
Available in short Delivery Times.
Contact us with your Specific Requirements.

1913 Siawat Plain Wet & Dry Sheets
C weight - 230 x 280mm




Special Automotive Product!

Size	Grit	PU	OU	Part No
230x280	60	50	250	7025.0060
230x280	80	50	250	7025.0080
230x280	100	50	250	7025.0100
230x280	120	50	250	7025.0120
230x280	150	50	250	7025.0150
230x280	180	50	500	7025.0180
230x280	220	50	500	7025.0220
230x280	240	50	500	7025.0240
230x280	280	50	500	7025.0280
230x280	320	50	500	7025.0320
230x280	400	50	500	7025.0400
230x280	500	50	500	7025.0500
230x280	600	50	500	7025.0600
230x280	800	50	500	7025.0800
230x280	1000	50	500	7025.1000
230x280	1200	50	500	7025.1200
230x280	1500	50	500	7025.1500
230x280	2000	50	500	7025.2000
230x280	2500	50	500	7025.2500

1919 Siawood Production Sanding Sheets
Coarse Cut - Red - E weight - 230 x 280mm

Size	Grit	PU	OU	Part No
230x280	40	25	125	7033.0040
230x280	80	50	250	7033.0080

Matador
C weight - 230 x 280mm



Premium Wet & Dry Sandpaper Sheets

Size	Grit	PU	OU	Part No
230x280	60	50	250	7022.0060
230x280	80	50	250	7022.0080
230x280	120	50	250	7022.0120
230x280	150	50	250	7022.0120
230x280	180	50	500	7022.0180
230x280	220	50	500	7022.0220
230x280	240	50	500	7022.0240
230x280	280	50	500	7022.0280
230x280	320	50	500	7022.0320
230x280	360	50	500	7022.0360
230x280	400	50	500	7022.0400
230x280	500	50	500	7022.0500
230x280	600	50	500	7022.0600
230x280	800	50	500	7022.0800
230x280	1000	50	500	7022.1000
230x280	1200	50	500	7022.1200
230x280	1500	50	500	7022.1500
230x280	2000	50	500	7022.2000
230x280	3000	50	500	7022.3000



Premium Wet & Dry Sandpaper Sheets

Siaspeed Fleece - Non Woven Handpads
Use for Scotching



Size	Grade	PU	OU	Part No
152x229	Very Fine/ Red	10	200	4600.4001
152x229	Ultra Fine/ Grey	10	200	4600.4002

Siaspeed Fleece - Non Woven Rolls for Scotching - 100mm x 10M
Producing a matt finish on conventional lacquers



Size	Grade	PU	OU	Part No
100 x 10M	Very Fine/ Red	1	10	7272.4001
100 x 10M	Ultra Fine/ Grey	1	10	7272.4002

Features & Benefits
Improved flexibility for hard to reach areas
Consistent scratch pattern due to improved grain consistency
Increased lifetime as a result of grain distribution through the fleece
Can be used Wet or Dry

Siaspeed Fleece - Perforated Non Woven
1/2 Handpads for Scotching



Size	Grade	PU	OU	Part No
115x152	Very Fine/ Red	30	150	4600.5001
115x152	Ultra Fine/ Grey	30	150	4600.5002

VIRTUS 447 FLATTING PASTE

A Liquid rapid rubbing compound for flattening. Cleans a Flats surfaces uniformly before painting.

Capacity	PU	OU	Part No
1Litre	1	1	4330.447.1000

Use with SIA Hand Pads



SikaFlex Sealant 212 FC (310ml) - Also suitable for commercial vehicles



Colour	PU	OU	Part No
Black	12	12	4324.0075
White	12	12	4324.0076
Grey	12	12	4324.0077

Flexible sealant, can be sanded, Odourless, Adheres to a wide range of substrates, Can be painted over with most automotive paints (pre testing recommended)

SikaFlex Sealant 221 (310ml) - Premium



Colour	PU	OU	Part No
Black	12	12	4324.0040
White	12	12	4324.0041

Suitable for sealing, seam sealing & simple bonding. Fast curing, quick over paint time, can be sanded, silicone free.

Sika Spray Gun and Sika 529 Cartridges – suitable 290ml

Description	Part No
SikaFlex 529 - 290ml Cartridge	4324.0031
Sika Spray Gun	4324.0006



Multimaster Windscreen Sealer

Description	Part No
Multimaster Windscreen Sealer	7400.34.400

1K Polyurethane ultra fast adhesive for glazing. TUV approval.



Boss Seam Sealer

Description	Part No
Black	4324.80029
Grey	4324.80028
White	4324.80027

Monocomponent flexible, polyurethane joint flexible sealer, strong bond polymerizes with air humidity. Ideal for sealing, filling and bonding body parts. Can be painted after application.



Brushable Seam Sealer 1Kg & Nylon Sealer Brush

Product	PU	OU	Part No
Sealer	1	1	1600.4005
Brush	1	1	1600.4003



SikaFlex 552 (310ml)

A high-performance elastic gap-filling 1-C structural assembly adhesive that cures on exposure to atmospheric humidity to form a durable elastomer. Sikaflex contains no isocyanate.

Colour	PU	OU	Part No
Black	12	12	4324.0060
White	12	12	4324.0062



Windscreen Adhesives

SikaFlex 255 FC (310ml) - Original



Colour	PU	OU	Part No
Black	12	12	4324.0009

For bonding windshields to vehicle bodyshells
Exposed bare steel should be primed with Sika 206G&P
exposed paint clean with Sika 205 and prime. Clean glass with Sika Activator or Sika Cleaner.
Can be over painted, non-corrosive, sets hard.

Bosseal – Complete Windscreen Fitting Kit

Desc.	PU	OU	Part No
Windscreen Kit	1	1	4324.0019
Windscreen Sealer	1	1	4324.80045

Contents:

310ml Cartridge,
30ml Activator and Primer,
Lint Free Appl. Cloth



Colour	PU	OU	Part No
Black	12	12	4324.0010



Triangular Cutting Sealer Wire 25mtr

Desc.	PU	OU	Part No
25Mtr. - Triangular	1	1	4324.0012

Description:

25 meters of steel wire, particularly tough, very effective in cutting the polyurethane, due to its triangular shape which gives a greater capacity incision, resulting in faster cutting convenient and simple.



Sika Cleaner 205 - Use for improving adhesion.

Capacity	PU	OU	Part No
1 Litre	1	1	4324.0016

An alcohol based solution containing a bond-activating substance for cleaning and activating bond faces prior to bonding and sealing with Sikaflex products.

Sika Activator - Pre-treatment of surfaces

Capacity	PU	OU	Part No
250ml	1	1	4324.0025

A cleaning and activating agent specifically formulated for the treatment of bond faces in direct glazing work prior to application of various Sika polyurethane adhesives.

PRIMER / ACTIVATOR 25ML

Sika Remover 208 - Degreasing Pure Solvent

Capacity	PU	OU	Part No
----------	----	----	---------

Sika Remover 208 (1 Litre) is a degreasing pure solvent, used to remove uncured Sikaflex from materials and tools.

MANUAL CAULKING GUN - 18:1

Manually operated 18:1 caulking gun to be used with Evercoat's adhesive products.



Item	PU	OU	Part No
Gun	1	1	4327.0831



Sika Primer 206 G+P - Black

Capacity	PU	OU	Part No
100ml	1	1	4324.0026

Sika Primer 206 G+P for fibre glass inside (Layup side), ABS, steel alu and other materials of the Sikaflex series 2XX and Sikatak. The priming colour black prevents from corrosion and improves the glue. Consumption approx. 150g/ m²



Sikaflex®-529 AT

Description	Part No
Sikaflex®-529 AT	7400.0032

Sikaflex®-529 AT is a sprayable 1-component Silane Terminated Polymer (STP) sealant that cures on exposure to atmospheric humidity. It is used for seam sealing of factory-provided original structures (surface areas and beads) for vehicle body assemblies

- Reproduces factory-provided original structures
- Spray and bead application
- Good adhesion to a wide variety of substrates

Farecla Advanced G3 - Paste



Capacity	PU	OU	Part No
400g	1	12	4325.0019
1 KG	1	6	4325.0020
3 KG	1	4	4325.0021

Farecla G360 Superfast Compound



Capacity	PU	OU	Part No
1 Litre	1	6	4325.SFC101

Farecla Superfast Compound



Capacity	PU	OU	Part No
100gr	1	6	4325.SFC106

Farecla Advanced G3 - Liquid



Capacity	PU	OU	Part No
500ml	1	12	4325.0022
1 Litre	1	6	4325.0023

Farecla G360 Superfast Finish



Capacity	PU	OU	Part No
1 Litre	1	6	4325.SFF101

G-Mop Compounding Head
150mm - White Use with
Farecla G3, G4, G6



Type	System	PU	OU	Part No
Standard	M14	1	12	4325.0009
Standard	Velcro	1	12	4325.0012

Farecla G6 Rapid Grade Paste 3Kg



Capacity	PU	OU	Part No
3kg			4325.0028

Waffle Polishing Pad for Farcla G12 (2pk)



Size / Pack of	PU	OU	Part No
150mm / 2pcs.	1	1	4325.0015

Farecla GLAZE

Use for both Hand and Machine

Farecla G6 Rapid Grade Paste 400g



Capacity	PU	OU	Part No
3kg			4325.0027



Product Description

A final finishing Glaze with excellent filling capabilities for minor scratches and swirls. It will give the ultimate showroom finish, which is durable as well as breathable.

Capacity	PU	OU	Part No
1 Litre	1	6	4325.0033

G-Mop Polishing Head 150mm - Black
Use with Farecla G10, GLAZE



Type	System	PU	OU	Part No
Standard	Velcro	2	12	4325.0013

Back Plate
Use with Velcro Backed Mops - 6''



Size	PU	OU	Part No
M14 / 6"	1	6	4325.0036
5/8" / 6"	1	6	4325.0037

Farecla Care Scratch Remover



Capacity	PU	OU	Part No
150ml	1	12	4325.0039

Farecla G Scuff Paint Prep Paste



Capacity	PU	OU	Part No
400g	1	12	4325.1040

HIGH QUALITY EUROPEAN FOAMS

White Compounding Ultimate - M14

Size	Colour	PU	OU	Part No
150 x 50	White	1	1	4326.44635



Black Polishing Ultimate - M14

Size	Colour	PU	OU	Part No
150 x 50	Black	1	1	4326.44640

Farécla is a world-class manufacturer & supplier of surface finishing solutions to over 120 countries worldwide.

Farecla G3 Wax

Deep Gloss and Protection

Does not Dry out in direct sunlight.
Can be applied to plastics and trim to give excellent finish without turning hazy or white.



Capacity	PU	OU	Part No
1 Litre	1	6	4325.0034
1 G (US)	1	2	4325.0035

Microfibre Finishing Cloth – Lint free
Valeting and Dusting

Use with Farecla WAX TOP, G-MAT, G7



Colour	PU	OU	Part No
Yellow	1	1	4325.0044

VIRTUS 472 - ONE STEP SYSTEM



ADVANTAGES

High quality American foam
Open cell structure improves air flow to aid in cooling the surface
Quick change hook & loop backing system
Long life foam

APPLICATION GUIDE

STEP 1

Use small amount of Virtus 476 Gel with Wool Pad at medium speed about 1200-1600 RPM for the removal of deep defects.


STEP 2

Use Virtus 472 with Soft Foam Pad (Black) on dark colours for a deep gloss finish.



RUPES ROTARY 180MM DIAMETER
WOOL PAD FOR 150MM BACKING PAD

Part No: 1402.9.BL180F




165MM S/BUFF FINISHING PAD
Foam removes light swirls & creates
a luxurious high gloss finish

Part No: 4326.1023



RUPES 150mm M14 FLEXIBLE
BACKING PAD

Part No: 1402.992.600



432**COARSE CUT - Remove P1200 - P2000**

Extra fast cut for refinishing of all types of Auto-paints and gelcoats
Water Miscible & Silicone Free.

1Litre 4320.0028

476**ONE STEP - CUT & POLISH (3M 80349, Farecla G3)**

A liquid abrasive for the fast removal of final paints defects such as sanding marks P1500-2000, leaving a high gloss finish in one step. The product does not mask the imperfections, scratches & holograms with cosmetic oils, but eliminates them completely. Use on all types of paint, including acrylic, water based, high solid-low VOC, two component, single component, scratch resistant ceramic paints & original products of automotive OEM's. Free from Amonia & Silicone.

125ml 4330.476.0125
1Litre 4330.476.1000

473**OEM ABRASIVE CERAMIC POLISH (3M 80349, Farecla G10)**

A Fine cut compound for use on new low VOC & Antiscratch clear coats. (Mercedes, Ferrari etc.)
Also excellent as a single step compound on standard 2K paint systems. Use with Foam Wool Pad for removal of deep defects followed by soft foam pad for high gloss finish.

125ml 4330.473.0125
1Litre 4330.473.1000

472**OEM ULTRA FINE CERAMIC POLISH (3M 50383 Ultrafine, Farecla G12)**

An extremely fast cutting polish designed to polish out any swirl marks & holograms For use on all automotive paint systems including high solid low VOC, water based, anti-scratch both fresh and cured.
Leaves a rich deep gloss finish on dark colours.

125ml 4330.472.0125
500ml 4330.472.0500
1Litre 4330.472.1000

471**SPRAY POLISH**

Liquid transparent spray polish containing polymers for the removal of possible haloes & for a gloss finish on the paint. Can also be used on plastics to restore a gloss finish.
Very easy to use.

500ml 4330.471.0500
5Litre 4330.471.5000.04

453**HIGH GLOSS POLISH**

A PTFE Polish that renovates and restores high gloss to both old and new paints, and gives a long lasting protection against atmospheric agents.

Does not stain plastics. Can be used both for hand and machine applications. Apply and remove the product approx. 20-30minutes after application.

125ml 4330.453.0125
1Litre 4330.453.1000

463**HIGH PROTECT SEALANT**

A high content PTFE Polish, that renovates & restores high gloss to both old and new paints.
Can last up to 2 years or 10 Car Washes.

For high protection remove the product approx.30-60 minutes after application. Can be applied in very warm conditions. Will also renovate plastic materials.

125ml 4330.463.0125
500ml 4330.463.0500
1Litre 4330.463.1000

436**VIRTUS 436 EXTRA COARSE CUTTING COMPOUND –1 LITRE WHITE**

1Litre 4330.486.1000

487**VIRTUS 487 UHD POLISH – 1 LITRE**

1Litre 4330.487.1000

Scangrip SUNMATCH - High CRI LED hand lamp for colour matching

Charging dock
included.

Type	PU	OU	Part No
High CRI LED	1	1	1620.0050

Scangrip SUNMATCH is a brand new LED hand lamp designed for auto painting, polishing and prep-zone operations.

The ultra high CRI (colour rendering index) LED reveals colour mistakes, swirl marks, small scratches and dents.

Scangrip SUNMATCH is easy to place for optimal lighting, due to the powerful built-in magnet and the flexible body.

SUNMATCH operates in two steps with outputs of either 180 or 400 lumens. At step two the lamp will automatically power down after three minutes to prevent over heating. After a few seconds it will be ready for use again. Step one runs continuously.

Technical Specifications:

- Ultra high CRI COB LED
- 95 CRI
- 4500 KELVIN
- 1100/550 lux (step 1/step 2)
- 400/180 lumens (step 1/step 2)
- IP65
- 1h/3h operating time
- Charging time 4h

Snake Type Foam Pad - 150mm

Recommended for fresh soft paints.

Easier work with all foam surface area
Minimal chance of hologram and swirl marks
Shorter work time and Optimal cream using.

Use on Fresh Paint



Colour	PU	OU	Part No
Yellow	1	1	4329.2621

Black Waffle Foam Pad - 150mm

To be used for surface finishing

Ideal for final polishing with cream polish.
The pad can be used at high speeds
and prevents the polishing paste from burning.

Colour	PU	OU	Part No
Black	1	1	4329.2431

Use for Ultra Finishing

ORANGE Firm Cut Foam Pad - Velcro

Replacement for
3M Green Compounding Foam




Colour	PU	OU	Part No
Orange	1	1	4326.44405

Square Type Foam Pad - 150mm

For use on hard, old paints.

Shorter work time and reduced heat transfer.
Easier work with all foam surface area
Faster eliminating the oxidized paint.



Use on Old Paint

Colour	PU	OU	Part No
Blue	1	1	4329.2741



BLACK Soft Polishing Foam Pad - Velcro 160mm




Colour	PU	OU	Part No
Black	1	1	4326.1023

FOAMED WOOL 6.5 INCH BUFFING/POLISHING PAD

These manufactured Foamed Wool pads polish like a wool pad but finish like a foam pad, giving your vehicle's paint the best qualities of each.

Natural wool pads have a tendency to become frayed, matted, and begin linting. The deterioration of a wool pad results in a pad that provides less cushion between the buffer and the paint, and the matted wool poses a greater risk of scratching the paint.



FOAMED WOOL 7 INCH BUFFING/POLISHING PADS ARE CAPABLE OF REMOVING 1500 GRIT SCRATCHES, LEAVING A SMOOTH FINISH WITH NO HAZING AND FEW, IF ANY, COMPOUNDING SWIRLS.



4330.351.0402.42

SUPER FLEXIBLE BACKING PAD!



POLYSPONGE - CONTAMINATION REMOVER

ONLY BY HAND IT SAFELY AND EASILY REMOVES PAINT OVER SPRAY, WATER SPOTS, TREE SAP, RAIL DUST AND OTHER BONDED SURFACE CONTAMINANTS FROM THE SURFACE OF AUTOMOTIVE PAINT, GLASS, MOLDINGS AND PLASTIC.

Virtus Polysponge works fast and achieves professional results with the new advanced rubber polymer technology, which replaces the use of clay bars.

Polysponge works great with 671 Polymer Spray Polish lubricant. Unlike the clay bar, the Polysponge can be cleaned by simply rinsing off the accumulated contaminants with water. If you drop the Polysponge on the ground, no worries, just rinse the sponge pad clean and you're ready to keep using it. 471 Polymer Spray Polish allows for sturdy and controlled handling, unlike clay bars where constant reshaping is required. There is a significant difference between Virtus Polysponge and clay bars. An outstanding machine/advanced polymer combination makes Virtus Polysponge the best contamination removal tool ever. The paint will be smooth like a new car.

AS USED BY GERMAN OEM
CAR MANUFACTURERS

AutoScrub
Decontamination
Sponge Combo
4330.100861



Poly Disk Contamination
4328.0829

Virtus 471 Acqualux Liquid
Spray Polish 4330.471.0500

115mm M14 Backplate - Velcro
Hard



Type	PU	OU	Part No
115 - Hard	1	1	4326.1005

115mm M14 Backplate - Velcro
Soft Interface



Type	PU	OU	Part No
115 - Soft	1	1	4326.1006



150mm M14 Backplate - Velcro
Soft Interface

Type	PU	OU	Part No
150 - Soft	1	1	7100.1120

Interface Pad 150mm - Soft / Velcro
The pad has 10mm of Sponge Foam which produces a soft back up pad for fine sanding.



Type	Dia.	PU	OU	Part No
Multihole	125	1	1	4328.0180



Ideal for use with
Micro Film Velcro Discs
See Page 19

Pad Saver 150mm
Use to protect Velcro Pad. Especially good with
Net Sanding Disc



Type	Dia.	PU	OU	Part No
Multihole	150	1	1	7100.A0767
	125			7100.A0766



Ideal for use with
Net Velcro Discs
See Page 22

Orbital Sander Velcro Pads 5/16" **Max: 12000 RPM !!!**

Low Profile			Thick Profile 150mm-	
150mm- Plain	150mm- 6Hole	150mm- Multihole	Plain	150mm- 6Hole
7100.1085	7100.1095	7100.1097	7100.1086	7100.1087

8-hole Backing Pad 5/16"

Velcro Pad 5/16"

Low Profile

Mini

50 & 75mm - Plain



7100.1083 (125mm)



1620.2020 (75mm)

1620.2021 (50mm)

Multihole Universal
Backing Pad

150mm



7100.060714

Suitable for

FESTOOL **RUPES**


automotive systems

D/E Blocks



Holes	Size	PU	OU	Part No
8	70 x 125	1	1	7016.0005
8	70 x 198	1	1	7016.0010
18	115 x 228	1	1	7016.0015
14	70 x 420	1	1	7016.0020

Conversion Strips to convert
Self-Adhesive or 3M™ hookit2 to Velcro



Holes	Size	PU	OU	Part No
10	115 x 280	2	2	7016.0030
14	70 x 420	2	2	7016.0031

SO168 FinishLine Handblock & Multi Hole Velcro Strips Offer
High-performance sanding mineral ensures very high removal rate and long life



Special Offer SO168

Kit includes:.

- 1 No 70 x 420 Multihole Handblock
- 1 No 70 x 198 Multihole Handblock
- 3 No Packs of 25 70 x 420 Multihole Strips (option of 3 grits from list P40-P400)

SPECIAL OFFER!

Product Description	Part No
FinishLine Multihole Handblock 70x420	7016.0020
FinishLine Multihole Handblock 70x198	7016.0010

Microfibre Finishing Cloth - Lint free
Use for Valeting and Dusting



Colour	PU	OU	Part No
Yellow	1	1	4325.0044

Tack Cloth 18"x 3"
Pack of 10pcs.



Colour	PU	OU	Part No
Standard	1	1	1620.MB10
Water Based	1	1	1620.AQ10



Car Valeting Brush 3 piece Set for Drill
4", 2" and 3.5"

Colour	PU	OU	Part No
Black and Yellow	1	1	1300.DB889

BUFFING «Scratchless» White
WONDER Towels
Pack of 2pcs. Extra fluffy



Colour	PU	OU	Part No
--------	----	----	---------

Wheel Scrubbers - Pack of 3pcs. A
gentle yet highly effective wheel cleaning



Size	PU	OU	Part No
250mm	1	1	4326.40650



Oval Shaped Dual Applicator Pads
Professional

Colour	PU	OU	Part No
B / R / Y	1	1	4326.40800

Spill Kits

Extremely effective

Capacity	PU	OU	Part No
20 Litre	1	1	1600.0051
30 Litre	1	1	1600.0052



20Ltr - Oil Dry Cellulose and clay granulate

Lightweight mix of dust free non-slip cellulose and clay granulate



Weight	PU	OU	Part No
20Ltr	1	1	1600.0104

20 LITRE SPILL KIT - UNIVERSAL

- Clear Vinyl Bag
 - 10 Pads
 - 2 Socks
 - 1 Bag & Tie
 - 1 Instruction Sheet
- Also available in Universal and Chemical.

30 LITRE SPILL KIT - UNIVERSAL


- Clear Vinyl Bag
 - 15 Pads
 - 3 Socks
 - 1 Bag & Tie
 - 1 Instruction Sheet.
- Also available in Universal and Chemical.

Universal Spill Boom/Sock - 12cm x 3m



Sheets	PU	OU	Part No
		1	1600.0058

Universal Spill Kit PADS



Sheets	PU	OU	Part No
		1	1600.0055

Paper Milo Rolls

230mm x 1500M


White HD Long Milo Roll Premium Quality



Type	PU	OU	Part No
Standard Green	1	1	4313.1015B
Premium White	1	1	4313.1016

Blue Solvent Wipes – Centerfeed Roll

Centre-feed roll dispenser box



Description	PU	OU	Part No
225 Sheets	1	1	1620.3013

Blue spun polypropylene solvent wipe
Very good oil absorption. Crows Feet.

Blue Embossed Paper Roll



Description	PU	OU	Part No
Economy 1Ply	1	1	4313.1005
Premium 2 Ply Embossed	1	1	4313.1009
Floor Stand	1	1	4313.2001

Centerfeed Roll 2 Ply Blue 150M (6 pack) 150M



Size	PU	OU	Part No
200mm x 150M	1	1	4313.1020

Polishing Cloth Soft Wipe - Dispenser Roll

300 sheets per roll 260mm x380mm

Low lint wipe that has been specifically designed for finishing, meaning it will not scratch even the newest paintwork.



Description	PU	OU	Part No
300 Sheets	1	1	1620.3014

Black Refuge Sacks - 200pcs. (250gm)

(8 rolls x 25 bags)



Contents	PU	OU	Part No
Black	1	1	4316.1001
Clear	1	1	4316.1002

Preclean Wipe - Dispenser Roll

300 sheets per roll 250mm x350mm

Spirit wiper roll is a 100% melted down polypropylene non-woven wipe perfect for all solvent and spirit wiping applications.



Description	PU	OU	Part No
300 Sheets	1	1	1620.3015

Bag of Rags - 10KG

(Ideal for general wiping)


Scanned for no zip or buttons



Contains	PU	OU	Part No
Colour	1	1	1600.1012
White	1	1	1600.1013

Beetroot Board - Multilayered mixing board


Supplied with 100 disposable sheets



Use with	PU	OU	Part No
body filler, pastes etc.	1	1	1600.1019

Spray out Cards (100pk)

The bold pattern to check paint coverage.



Use a spray out card to check that the paint colour matches before applying it to the car.

Colour	PU	OU	Part No
White	1	1	1600.1032

Metal Body Filler Spatula Set - Japan Style

Supplied in plastic bag



Set of	PU	OU	Part No
4pcs.	1	1	R.ATH.107840

Plastic Spreaders

Beveled Edge



Size / Pack of	PU	OU	Part No
105 x 70mm / 10pce	1	1	1600.1022

Cream Hardener



Weight	PU	OU	Part No
50g			4327.1476

MIXING PRODUCTS

Plastic Mixing Cups and Lids - 100% closure

Durable Clear Plastic Beakers with straight sides for accurate measuring.

Graduated Measurement



Description	OU	Part No
385ml Mixing Cup	200	1600.100330
750ml Mixing Cup	200	1600.100331
1400ml Mixing Cup	200	1600.100332
2300ml Mixing Cup	100	1600.100333
385ml Mixing Cup Lid	200	1600.100334
750ml Mixing Cup Lid	200	1600.10335
1400ml Mixing Cup Lid	200	1600.100336
2300ml Calibrated Mix Cup Lid	200	1600.100337

ECONOMIC Wooden Mixing Stick (box of 100)

Use for mixing paint in the mixing cap

Description	PU	OU	Part No
Box of 100 Sticks	50	50	1622.2010

600cc Calibrated Poly Mixing Cups & Lids

Sturdy construction, Solvent resistant




Economy

Description	PU	OU	Part No
Cups	50	50	1600.5003
Lids	50	50	1600.5012

Nylon Paint Strainers (Box of 100pcs.)

Suitable for both solvent and waterbased paints



**High Quality
Low Price**

Desc. / Application	PU	OU	Part No
125mic/White based paints	1	1	1600.0202
190mic / All Paint Types	1	1	1600.0201

MASKING PRODUCTS

Bossauto Paint System

BPS3 Paint System – Blue.

Its main advantage over other similar products on the market is in its closure system, a thread that allows quick and secure pressure closure, which greatly facilitates and speeds up the painter's work compared to traditional systems.

Its filter incorporated in the lid allows filtering and spraying in the same solution, and also includes a cap for temporary storage of excess material.

With the calibrated mixing cup, the Bossauto painting system offers a comprehensive solution that allows the same cup to be used for mixing and painting. As it is reusable, it saves costs in the painting process.

The disposable flexible cup system is designed to create a vacuum, which allows painting at 360° in a homogeneous way. The Bossauto painting system is suitable for applying paint, clear coat, and primer.



BPS3-BLUE

Description	Part No
BPS3 Paint System Kit Blue 200ml 125 micron	4325.101920
BPS3 Paint System Kit Blue 400ml 125 micron	4325.101925
BPS3 Paint System Kit Blue 600ml 125 micron	4325.101930
BPS3 Paint System Kit Blue 800ml 125 micron	4325.101935



Steering Wheel Covers (250 Pk

Part No

1600.0333

Double Sided Foam Tape - High Quality

With a modified acrylic adhesive



Size	PU	OU	Part No
6mm x 10M	1	1	1600.0322
9mm x 10M	1	1	1600.0316
12mm x 10M	1	1	1600.0317
19mm x 10M	1	1	1600.0323
25mm x 10M	1	1	1600.0318
50mm x 10M	1	1	1600.0319

Duct Tape - Silver

Premium Grade



Size	PU	OU	Part No
50mm x 50M	1	1	4323.3006

Fine Line Plastic Tape - Highly conformable

Easy to curve and contour



Size	PU	OU	Part No
3mm	1	1	1600.0403
6mm	1	1	1600.0406

Macbond Clear Bonding Tape (Acrylic)

Ultra High Bond / Double Sided

Ultra High Bond!

3M 80322 Alternative



Size	PU	OU	Part No
12mm x 10M	1	1	4323.3011
19mm x 10M	1	1	4323.3008

Round Foam Masking Tape

Supplied in individual boxes in strips

A strip of adhesive foam for protecting door edges, trunk, hood and other openings on the vehicle, speeding up the protection process prior to painting, acting as a barrier preventing dust and paint from entering the inside of the vehicle.



Wide / Strips x Length	PU	OU	Part No
13mm / 10 x 5M	1	1	1600.0327
19mm / 7 x 5M	1	1	1600.0328

Disposable Car Seat Covers

(Box of 100Pcs)

Seat covers are packed in dispenser carton



Description	PU	OU	Part No
10mic.	1	1	1600.0308

Filler Mask 3Line Foam Tape

Highly recommended to mask the joints between the doors

3 LINE Tape is the optimal solution for preventing paint from penetrating non primer and base coat applications, preventing paint from penetrating non desired areas.



Wide / Strips x Length	PU	OU	Part No
30mm / 6 x 5M	1	1	1600.0329



Paint Absorbent Masking Film

High Quality. Special Automotive Product

Pre-Taped Masking Film			
Size	PU	OU	Part No
180cmx25wyr	1	1	4323.3002
34cm x 25ydrds	1	1	4323.3003
90cm x 25ydrds	1	1	4323.3004
60cm x 25ydrds	1	1	4323.3005

**CALL US FOR INFORMATION
ON A WIDER RANGE
OF MASKING PRODUCTS
TEL 049 555 2340**

Clear Packaging Tape (6pk)
Individual rolls packed in shrink wrap of 10s

48mm x 132M



Size	PU	OU	Part No
48mm x 132M	1	1	1004.2008

Anti Slip Tape
Black



Size	PU	OU	Part No
50mm x 15mtr	1	1	4323.3016

Masking Tape
Premium Grade Automotive Masking (80°C)

Size	OU	Part No
19mm x 50M	96	1650.4019
25mm x 50M	72	1650.4025
38mm x 50M	48	1650.4038
48mm x 50M	36	1650.5048

Characteristics

Adhesive tape manufactured with crepe paper and pressure sensitive, medium adhesion and rubber-resin adhesive. Very conformable, good tensile strength and strong holding. Designed for applications where baking is required with temperatures up to 80°F. Good tape-on-tape adhesion. Solvent, water and oil resistant.

Applications

Used on surfaces like, glass aluminum, steel, paper or plastic masking, plastics, rubber moldings, chrome parts, plastic parts, wood and other flat surfaces. Removes easily without staining or leaving residue.




Parking Sensor Masking Pad (Box of 300)



Diameter	PU	OU	Part No
18mm			4323.040080

Perforated Trim Masking Tape



Perforated Masking Tape:
The ideal way to protect rubbers, trims and body side mouldings during spraying.

Pre-perforated for easy tear off.
No need for scissors.

Very flexible to follow contours
and tight curves.

Easy lifting tab.

Size	PU	OU	Part No
50mm x 10M	1	1	4323.3007

Peelable Spray Booth



A transparent water-based product, used for protecting spray booth interiors. This product forms a coat on the surface which attracts dust

Once the layer on the chosen surface is dirty, it is easily removed with water or by pulling; in one stroke

Spray Gun Holders

Special Automotive Products



Description	PU	OU	Part No
Sp. Gun Holder with paint strainer holder	1	1	1620.1045
Magnetic Sp. Gun Holder	1	1	1620.1025

Spray Gun Cleaning Kit - (on blister card)

Contains needle, sticks, brushes



Set of	PU	OU	Part No
8pcs.	1	1	1620.3011

Gravity Feed Spray Gun

Supplied with 600ml paint container



High Quality
Economy Spray Gun

Set up Options	PU	OU	Part No
1.4mm	1	1	1620.1019
1.7mm	1	1	1620.1020
1.8mm	1	1	1620.1021
2.0mm	1	1	1620.1022

Gravity HVLP Spray Gun

2.5mm	1	1	1620.1023
-------	---	---	-----------

Suction Spray Gun

Supplied with a 1000ml paint container



Set up Options	PU	OU	Part No
1.8mm	1	1	1620.1006

Fast Mover Mini In Line Water Trap for Spray Gun

1620.0112



4328.1007

Spray Cavity Wax White, 500ml.

ting cavities in vehicle body, adhesive and highly resistant to abrasion, heat, humidity and harsh climates such as coastal climates.



4323.2003

K3010 Zinc Spray, 400ml.

Ideal for providing corrosion protection galvanized layer.98% zinc content.



1601.0060
- Black

Textured Bumper Spray Black, 500ml.

A coarse textured coating for an excellent finish, with a high grade composition for a faster drying time and superior adhesion to metal, wood and plastic. It is used for restoring plastic surfaces typically found on vehicle parts



1601.0061
- Grey

Textured Bumper Spray Grey, 500ml.

A coarse textured coating for an excellent finish, with a high grade composition for a faster drying time and superior adhesion to metal, wood and plastic. It is used for restoring plastic surfaces typically found on vehicle parts



4328.1008

F110 Multi Use Spray 400ml MT10



1601.0018

Paint - WHITE Gloss, 500ml.



1601.0015 - High Gloss
1601.0016 - Satin Matt
1601.0017 - Black Matt

Paint - BLACK High Gloss, 500ml.



1601.0050

Paint - WHEEL SILVER, 500ml.



1601.0022

Clear Lacquer, 400ml.



1601.0011

Grey Primer



4328.1006


Contact Adhesive Spray
C900 500ml



4328.2004

AZ10 Aluzinc Weldable Primer
Spray 400ml

UNIPLAST - Hot Stapler



Product Description:

UNIPLAST hot stapler, is the fastest and most efficient solution for repairing plastics. It can repair and reinforce any piece of plastic such as; bumpers, instrument panels, headlight supports and fairing, etc.

UNIPLAST is a small and easy to use device. Its configuration is very simple, an on/off button to start the device and an option for the temperature you want to heat the staple to.

UNIPLAST has three different positions; slow temperature (L) for 1.5mm plastic thickness, Medium temperature (M) for 2mm plastic thickness, and high temperature (H) suitable for more than 2mm plastic thickness.

UNIPLAST provides you with an excellent repairing level and incredible savings in time and money.



Part No. 1620.2101

UNIPLAST - Staples



Application	Type	Description	Part No
		S Shape (100 units) - Ø 0.6mm Stainless Steel Clamp S 0.6mm format suitable for the repair of plastic.	1620.2200
		S Shape (100 units) - Ø 0.8mm Stainless Steel Clamp S 0.8mm format suitable for the repair of plastic.	1620.2201
		U Shape (100 units) - Ø 0.6mm Stainless Steel Clamp U 0.6mm format suitable for the repair of plastic.	1620.2202
		U Shape (100 units) - Ø 0.8mm Stainless Steel Clamp U 0.8mm format suitable for the repair of plastic.	1620.2203
		V Shape (100 units) - Ø 0.8mm Stainless Steel Clamp V 0.8mm format suitable for the repair of plastic.	1620.2204
		M Shape (100 units) - Ø 0.7mm Stainless Steel Clamp M 0.7mm format suitable for the repair of plastic.	1620.2205

File Belt Sander Belts


Available Grits: 40 - 60 - 80 - 120 - 180 - 320 - 400




Size	PU	OU	Part No
06x305	10	200	State Size and Grit
13x305	10	200	State Size and Grit
10x330	10	200	State Size and Grit
03x457	10	200	State Size and Grit
06x457	10	200	State Size and Grit
13x457	10	200	State Size and Grit
06x520	10	200	State Size and Grit
13x520	10	200	State Size and Grit
20x520	10	200	State Size and Grit
06x533	10	200	State Size and Grit
10x533	10	200	State Size and Grit
13x533	10	200	State Size and Grit
06x610	10	200	State Size and Grit
13x610	10	200	State Size and Grit

Air Drive Tool for Sanding Belts**(10x330mm)**

Model BS09 - Belt Size 10 x 330mm



Model	PU	OU	Part No
BS09	1	1	1091.2001

**Air Drive Tool for Sanding Belts****(20x520mm)**

Model BS10 - Belt Size 20 x 520mm

Model	PU	OU	Part No
BS10	1	1	1091.2002

Clean and Strip Disc - 115mm x 22mm

Use with angle grinder for cleaning and rust removal

Dia .	PU	OU	Part No
115	5	5	4200.3001

**Clean and Strip Plain Disc**

Use with Drill or Polisher

Item	PU	OU	Part No
Disc - 115x13mm	1	1	4201.1115
Holder for 1 disc	1	1	2402.2204
Holder for 2 discs	1	1	2402.2205

**Clean and Strip Spindle Mounted Disc**

Use with Drill or Polisher for cleaning and rust removal

Dia. / Shank	PU	OU	Part No
100 / 6mm	5	5	4203.1006

**Spindle Bristle Brush**

75mm P120

Item	PU	OU	Part No
Bristle Brush	1	1	1300.SBB-50/120
Bristle Brush	1	1	1300.SBB-75/120



Quick Change Discs - Screw on plastic thread - Aluminium Oxide

General Grinding

Grits Available:

36-40-60-80-120-180-240-320



BEST SELLER

Dia.	PU	OU	Part No
25	50	600	6171 - State Grit
38	50	600	6173 - State Grit
50	50	600	6174 - State Grit
Q.Ch.Disc 50mm - Grit 36			6174.0036
75	50	600	6175 - State Grit

Quick Change Discs - Screw on plastic thread - Surface Conditioning

Cleaning and Fine Grinding

Grades Available:

Coarse - Medium - Fine



BEST SELLER

Dia.	PU	OU	Part No
25	20	200	6199 - State Grade
38	20	200	6201 - State Grade
50	20	200	6202 - State Grade
Q.Ch.Disc 50mm - Coarse			6202.0001
75	20	200	6203 - State Grade

Quick Change Disc Holders

Rubber Backing Pad



Dia.	Type	PU	OU	Part No
25	Shank 6mm	1	1	6003.1170
38	Shank 6mm	1	1	6003.1175
50	Shank 6mm	1	1	6003.1180-M
75	Shank 6mm	1	1	6003.1185-M
75	Thread M14	1	1	6003.1200

Air Driven Angle Grinder with 6mm Colet & Quick Change Disc Kit in Sturdy Plastic Case

Supplied with tool



Air Driven Grinder 18000 RPM

PU	OU	Part No
1	1	1091.2003

Quick Change Disc Kit 50pce Supplied with Tool

PU	OU	Part No
1	1	6005.1991

KF708 Fibre Discs - Aluminium Oxide

General Grinding



Dia.	Grit	PU	OU	Part No
100	24	25	250	5300.1024
100	36	25	250	5300.1036
100	60	25	250	5300.1060
100	80	25	250	5300.1080
100	120	25	250	5300.1120
115	24	25	250	5300.2024
115	36	25	250	5300.2036
115	40	25	250	5300.2040
115	60	25	250	5300.2060
115	80	25	250	5300.2080
115	120	25	250	5300.2120

XP Rapid Combi Discs


115mm Fine, Medium, Coarse



Dia.	Grade	PU	OU	Part No
115	Fine	10	10	4650.1012
115	Medium	10	10	4650.1011
115	Coarse	10	10	4650.1010

4819 Fibre Discs - Zirconia

Power Cut



Dia.	Grit	PU	OU	Part No
115	24	25	250	5305.2024
115	36	25	250	5305.2036
115	40	25	250	5305.2040
115	60	25	250	5305.2060
115	80	25	250	5305.2080
115	120	25	250	5305.2120
180	24	25	250	5305.4024
180	36	25	250	5305.4036
180	60	25	250	5305.4060
180	80	25	250	5305.4080
180	120	25	250	5305.4120

Flap Discs - Surface Conditioning

Cleaning and Fine Grinding - Conical



Dia.	Grade	PU	OU	Part No
115	Fine	10	10	4650.5001
115	Medium	10	10	4650.5002
115	Coarse	10	10	4650.5003

Cross Buffs




Description	Part No
1" 3ply X-Buff Clean & Finish HS Medium Blue	4631.2132.HS
1" 3ply X-Buff Clean & Finish HS VFA Maroon	4631.2133.HS
Cross Buff Starter Kit	4631.CROSSKIT

Cutting Discs - Flat (Skinny Discs)
PFERD


Size	PU	OU	Part No
100 x 1.0	25	25	5002.1001
115 x 1.0	25	25	5004.1002
230 x 1.9	25	25	5011.1002

Cutting Discs - Depressed Centre
PFERD

Size	PU	OU	Part No
100 x 2.4	25	25	5001.1001
115 x 2.4	25	25	5003.1006
230 x 3.0	25	25	5010.1010

Mini Cutting Discs and Drive Tools
Use with Arbor (6mm Shank)

Size (D x T x Bore)	PU	OU	Part No
76 x 1.3 x 10mm	10	50	5016.1019
Arbor / 6mm Shank - 10mm	1	1	2403.4325


Grinding Discs (Depressed Centre) - PFERD
Use with Angle Grinder

Size	PU	OU	Part No
100 x 6.0	10	10	5031.1005
115 x 7.0	10	10	5032.1008
230 x 7.0	10	10	5035.1005



Spindle Mounted Flap Wheels with 6mm Shank - Aluminium Oxide

Dia. x Length	Grit	PU	OU	Part No
25 x 15	40	10	10	4020.0040
25 x 15	80	10	10	4020.0080
25 x 15	120	10	10	4020.0120
25 x 15	180	10	10	4020.0180
25 x 15	240	10	10	4020.0240
30 x 15	40	10	10	4035.0040
30 x 15	80	10	10	4035.0080
30 x 15	120	10	10	4035.0120
30 x 15	180	10	10	4035.0180
30 x 15	240	10	10	4035.0240
40 x 20	40	10	10	4043.0040
40 x 20	80	10	10	4043.0080s
40 x 20	120	10	10	4043.0120
40 x 20	180	10	10	4043.0180
40 x 20	240	10	10	4043.0240
50 x 20	40	10	10	4053.0040
50 x 20	80	10	10	4053.0080
50 x 20	120	10	10	4053.0120
50 x 20	180	10	10	4053.0180
50 x 20	240	10	10	4053.0240
60 x 40	40	10	10	4066.0040
60 x 40	80	10	10	4066.0080
60 x 40	120	10	10	4066.0120
60 x 40	180	10	10	4066.0180
60 x 40	240	10	10	4066.0240
80 x 50	40	10	10	4087.0040
80 x 50	80	10	10	4087.0080
80 x 50	120	10	10	4087.0120
80 x 50	180	10	10	4087.0180
80 x 50	240	10	10	4087.0240



Countertop Display Box - Assorted 40 pcs.

Popular Sizes and Grits	1	1	4149.5400
-------------------------	---	---	-----------

Mtd. Combi Flap Wheels

Mtd. Combi Flap Wheel	80X50X6	A180/P150	4605.1300
Mtd. Combi Flap Wheel	50X30X6	A100/P080	4605.1100
Mtd. Combi Flap Wheel	80X50X6	A100/P080	4605.1295
Mtd. Combi Flap Wheel	30X20X6	A180/P150	4605.1010
Mtd. Combi Flap Wheel	30X20X6	A100/P080	4605.1005
Mtd. Combi Flap Wheel	50X30X6	A180/P150	4605.1105



Shape A - 6mm Shank
 Cylinder

Shape	Dia. x L.	Part No.
	06 x 18	A60618.State Cut
	08 x 20	A60820.State Cut
	10 x 20	A61020.State Cut
	12 x 25	A61225.State Cut
	15 x 25	A61525.State Cut
	20 x 25	A62025.State Cut
	25 x 25	A62525.State Cut

Shape C - 6mm Shank
 Ball Nosed Cylinder

Shape	Dia. x L.	Part No.
	06 x 18	C60618.State Cut
	08 x 20	C60820.State Cut
	10 x 20	C61020.State Cut
	12 x 25	C61225.State Cut
	15 x 25	C61525.State Cut
	20 x 25	C62025.State Cut
	25 x 25	C62525.State Cut

Shape G - 6mm Shank
 Pointed Tree

Shape	Dia. x L.	Part No.
	06 x 18	G60618.State Cut
	08 x 20	G60820.State Cut
	10 x 20	G61020.State Cut
	12 x 25	G61225.State Cut
	15 x 25	G61525.State Cut
	20 x 25	G62025.State Cut
	20 x 38	G62038.State Cut

Procut Rotary File Burr Set
 5 Pieces

Pieces	Part No.
5	2002.1016PRO


Shape B - 6mm Shank
 Cylinder with End Cut

Shape	Dia. x L.	Part No.
	06 x 18	B60618.State Cut
	08 x 20	B60820.State Cut
	10 x 20	B61020.State Cut
	12 x 25	B61225.State Cut
	15 x 25	B61525.State Cut
	20 x 25	B62025.State Cut

Shape F - 6mm Shank
 Ball Nosed Tree

Shape	Dia. x L.	Part No.
	06 x 18	F60618.State Cut
	08 x 20	F60820.State Cut
	10 x 20	F61020.State Cut
	12 x 25	F61225.State Cut
	15 x 25	F61525.State Cut
	20 x 25	F62025.State Cut
	20 x 38	F62038.State Cut

Shape H - 6mm Shank
 Flame

Shape	Dia. x L.	Part No.
	08 x 20	H60820.State Cut
	12 x 35	H61232.State Cut
	15 x 35	H61535.State Cut
	20 x 42	H62042.State Cut

TC Rotary File Burr BS1A
 10 Piece

Pieces	Part No.
10	2002.1003



3mm shanks in cut 6

75mm Wire Cup Brush - Shank 6mm
 Brass plated brush



Dia / Shank	PU	OU	Part No
75mm / 6mm	1	1	R.HIL.950038

Knotted Wire Cup Brush - Thread M14
 Use for HD cleaning and removing paint and rust


Dia / Thread	PU	OU	Part No
65mm / M14	1	1	R.HIL.960259
100mm / M14	1	1	R.HIL.960044

Crimped Wire Cup Brush - Thread M14
 Use for cleaning and removing paint and rust


Dia / Thread	PU	OU	Part No
100mm / M14	1	1	R.HIL.960143

100mm Wheel Brush - Shank 6mm
 Brass plated brush


Dia / Shank	PU	OU	Part No
100mm / 6mm	1	1	R.HIL.950045

Knotted Wire Wheel Brush - Thread M14
 Use for HD cleaning and removing paint and rust


Dia / Thread	PU	OU	Part No
100mm / M14	1	1	R.HIL.961140

Wire Brush Displays

Hilka

Display	Qty.	Part No.
Spindle Wire Brush Wheel	24pcs.	R.HIL.100020
Hand Scratch Brush	24pcs.	R.HIL.404241
4 Row Steel Wire Brush	24pcs.	R.HIL.903140



Variable Speed Electric Polisher 180mm

Thumb Operated Speed Control

Powerful professional 1200W Sander Polisher. Variable speed control. Sturdy D handle for improved control and comfort. Safety lock off button prevents accidental starting. Suitable for workshop applications. Complete with sanding and polishing bonnet and spare motor brushes. No Load Speed 600- 3000 rpm. 180 mm Sander and Polishing Pad.

This is an ideal machine for introduction into Rotary Machine Polishing!

Power	PU	OU	Part No
1200W	1	1	R.HIL.101379



Mini Air DA Angle Sander 50/75mm

Use with Mini Velcro Discs (50 & 75mm)

Power	PU	OU	Part No
Sander	1	1	1620.2019
Backing Pad - 50mm	1	1	1620.2021
Backing Pad - 75mm	1	1	1620.2020



Shine Mate Rotary Polisher

M14 150mm 230v

Suitable for overall and partial car polishing

- Ergonomic body design.
- Lightweight 2.2 kg.
- Double-reduction gearing system to provide twice the torque of a single gear set polisher.
- Variable speed 700-2500 RPM, soft-start.
- Built-in speed stabilizer, to offer a constant speed output
- Configured with long life motor and carbon brush
- 5-meter long power supply cable.

Part No: 1405.051815



Shine Mate Orbital Sander

150mm/5mm

- Low vibration level to reduce operator fatigue
- Orbit Size in 3mm, 5mm, 7mm
- Multi-hole backing plate, vibration free and fast dust exhaustion
- Soft-Start feature
- Finger-Controlled Trigger for precise speed adjusting
- Built-in speed stabilizer to offer the constant speed output
- Configured with long-life motor and carbon brush.

Part No: 1405.051821

Straight Line Sander - T5110

Use with 70 x 420mm Velcro Strips

Model	Use with	Part No
T5110	70 x 420mm V. Strips	1620.2004

See page X for
strips to suit sander



Air Nibbler - T5314

It's an excellent choice for paint and auto-body shops



Model	Cuts Per Minute	Part No
T5314	3200	1620.2009

Mini Die Grinder

Maximum quality, durability and performance



Model	RPM / Collet	Part No
G32M	22.000 / 6mm	1091.2004

Air Body Saw - T5840

Use with one hand, great for autobody work



Model	Description	Part No
T5840	Cuts aluminum, plastic etc	1620.2003

Mini Angle Die Grinder

It's an excellent choice for paint and auto-body shops



Model	RPM / Collet	Part No
DG36M	20.000 / 6mm	1091.2003

Special Offer SO146 SIA One 1944 Discs & Shine Mate

Model/Orbit	Part No
Shine Orbital Sander 150mm V/Speed	1405.051826
SIA One 1944 Velcro Discs 15 Hole	7173.2080.25
SIA One 1944 Velcro Discs 6+1 Hole	7173.2120
SIA One 1944 Velcro Discs 6+1 Hole	7131.2180
SIA One 1944 Velcro Discs 6+1 Hole	7131.2240
SIA One 1944 Velcro Discs 6+1 Hole	7131.2320

**SPECIAL
OFFER!**



MBX Metal Blaster Kit - SP-121



Fastest way to remove
stickers and graphics
when using
Eraser Wheel

No match on file
for SO146



Description	Part No
MBX Metal Blaster	1621.0001
Eraser Wheel	1621.1010
MBX Wire Wheel Brush	1621.1020

The MBX Metal Blaster System is the ultimate power tool for the removal of undercoatings, seam sealers, mesh, corrosion, rust, paint, vinyl decals and pin strips.

Skorpio E

Random Orbital Sander

The newest addition to the Rupes random orbital sander range, the Skorpio E marks the introduction of brushless motor technology to their already innovative, compact, and ergonomic products.

Available in two versions (3mm or 6mm orbit), this palm sander is sure to be a hit whatever the need.



Weighing only 1.2kg, the transformerless electric powered palm sander is twice as light as others in its class, leaving you with the best possible manoeuvrability in difficult to reach and tight spaces. Comparable to a traditional 500-Watt electric sander, the built-in brushless motor provides enough power to finish the job quickly and provides a constant speed, even when under heavy load.

Features:

- Brushless Motor Technology
- Ergonomic Design
- Available in 3mm or 6mm orbit
- Weighs only 1.2kg
- Air Extraction Hose



The motor is also water, dust, and dirt proof protecting against whatever may be thrown at it, without the need for repeated maintenance. Coupled with both an air extraction hose and a new type of Rupes designed pad with central air intake, the sander extracts dust quicker and more efficiently, leaving your work clear to continue and providing you with a top-quality finish. Although thanks to the Skorpio E's universal application, it works to the highest of standards if you find yourself without air.


Designed with the comfort of use in mind, Rupes designed the Skorpio E with a soft rubber grip and more space for the user's ring and little finger, making a more relaxed and comfortable hold. Variable speed control allows RPM from 4,000 to 10,000 ensuring that whatever the application, top class results are possible and an easy to use start/stop function provides safety in every situation.

Rupes Skorpio E

1400.RX256A
(Contains 100 No G120/G240/G320 Velcro Discs)

1400.253A
(Contains 100 No G240/G320/G500 Velcro Discs)

BigFoot Polishers



9.HR81ML

HR81ML - polishers BigFoot iBrid Nano long neck

- Possibility to run on either battery or corded power
- 3 functional movements including 3mm random orbital, 12mm random orbital, and rotary

TECHNICAL DATA	HR81ML
Voltage VDC [Volt]	10,8 - 12
R.P.M	2000 - 5000
Battery life	~30min*
Charging time	~20min*
Electronic speed control	•
Overcurrent protection	•
Soft - Start	•
Led indication	•
Dimensions (mm)	332x70x47**
Weight [g]	520**

*The value is referred to a use of the battery pack 9HB120LT, fully charged with a charger 9HC120LT and normal use with a Rupes polisher HR81ML/HR81ML and functional unit orbit 12mm and Ø30mm polishing pad.
**Measured without a functional unit, battery pack and power supply.

HR81ML/STB Kit iBrid Nano long neck	Quantity	Code
iBrid Nano Long neck	1	9.HR81ML
Rechargeable power pack	2	9.HB125LT
Charger	1	9HC120LT
Functional Unit Ø12mm orbit	1	58.390/C
Polishing backing pad Ø50mm (2")	1	996.001



HR81ML/STP Kit iBrid Nano long neck	Quantity	Code
iBrid Nano Long neck	1	9.HR81ML
AC - DC adaptor	1	9HP120LT
Functional Unit Ø12mm orbit	1	58.390/C
Polishing backing pad Ø50mm (2")	1	996.001



BigFoot Polishers



HR81ML/LUX

Kit iBrid nano long neck

	Quantity	Code
iBrid Nano Long neck (Included in HR81ML)	1	9.HR81ML
Accessories Case with container	1	9.Z987/BF
AC - DC adaptor	1	9HP120LT
Rechargeable power pack	2	9HB125LT
Charger	1	9HC120LT
Extension shaft for Nano polisher (70mm length - M8 = F - M6 = M)	1	291.390/C
Wool polishing pad with velcro MEDIUM Ø34/45mm (1" - 1.5")	4	9.BW40M/4
Velcro foam polishing pad FINE Ø30/40mm (1"1/4)	6	9.DA40M/6
Wool polishing pad with velcro MEDIUM Ø50/65mm (2" - 2.5")	4	9.BW70M/4
Velcro foam polishing pad FINE Ø50/70mm (2")	4	9.DA70M/4
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Rotary Functional Unit	1	562.390
3mm orbit Functional Unit	1	581.390/C
12mm orbit Functional Unit	1	58.390/C
Polishing backing pad Ø30mm (1"1/4)	1	995.001
Polishing backing pad Ø50mm (2")	1	996.001
Sanding backing pad Ø30mm (1"1/4)	1	997.001
Horsehair Medium Cup Brush	1	9.BF3000
Nylon Hard Cup Brush	1	9.BF3030
Adhesive Abrasive Discs for denibbing Ø35mm P2000	10	9.45520
Adhesive Abrasive Discs for denibbing Ø35mm P3000	10	9.45530
Blue Microfiber Cloth	1	9.BF9050
Yellow Microfiber Cloth	1	9.BF9060
RUPES Systainer T - LOC	1	9.CASE III
Systainer inlay	1	9.1112

BigFoot Polishers



9.HLR21

BigFoot iBrid polisher HLR21 with iBrid Technology

- Engineered for noise reduction and minimal vibrations
- Up to 40 minutes of continuous power
- New advanced gear system technology
- LED battery indicator with low battery and overload alerts

TECHNICAL DATA	iBrid HLR21
Ø Backing pad [mm - in]	150 - 6"
Backing pad supplied	981.710
Ø Orbit [mm - in]	21 - 13/16"
Volt DC	18V
Battery life time	30-40 min
Charging time	50-55 min
R.P.M.	3000 - 4200
Weight (without battery) kg-lbs	1,95 - 4,3
Speed control	•
Overcurrent protection	•
Electronic switch	•
Led indicator	•

HLR21/CB2/STD

Kit iBrid HLR21

Quantity Code

iBrid HLR21	1	9.HLR21
Dual battery charger	1	9HC185LT
Rechargeable power pack	2	9HB185LT

Packaged in a RUPES carton box

HLR21/CB2/BAS

Kit iBrid HLR21

Quantity Code

iBrid HLR21	1	9.HLR21
D-A INTERMEDIATE foam polishing pad	2	9.DA180B
D-A FINE foam polishing pad	2	9.DA180M
Wool polishing pad COARSE	2	9.NW160H
Wool polishing pad MEDIUM	2	9.NW160M
D-A COARSE polishing compound	1	9.DACOARSE250
D-A FINE polishing compound	1	9.DAFINE250
Dual battery charger	1	9HC185LT
Rechargeable power pack	2	9HB185LT

Packaged in a RUPES carton box

BigFoot Polishers



LHR15ES/STD

Random orbital polisher

- BigFoot 15mm orbit random orbital polisher, characterized by balanced machine body, ergonomic handgrip and low vibrations
- This tool features an antispinning shroud, an electronic speed control module and on-off switch lock

TECHNICAL DATA	LHR15ES
Ø Backing pad [mm - in]	125 - 5"
Ø Orbit [mm - in]	15 - 19/32"
Power [W]	500
R.P.M.	2000 - 5000
Weight [kg - lbs]	2,5 - 5,51
Electronic speed control	•
Spindle thread	M8 - F
Foam backing pad supplied	980.027N
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box



LHR21 MarkIII/STD

Random orbital polisher

- Evolution of the BigFoot LHR21ES, the LHR 21 MarkIII allows to achieve high quality finishes with limited steps
- This polisher features improved ergonomics and a progressive trigger comparing to the previous version

TECHNICAL DATA	LHR21 III
Ø Backing pad [mm - in]	150 - 6"
Ø Orbit [mm - in]	21 - 13/16"
Power [W]	500
R.P.M.	3000 - 4500
Weight [kg - lbs]	2,7 - 5,95
Electronic speed control	•
Spindle thread	M8 - F
Foam backing pad supplied	981.321N
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box

BigFoot Polishers

NEW



9.HLR15

BigFoot iBrid polisher HLR15 with iBrid Technology

- Engineered for noise reduction and minimal vibrations
- Up to 40 minutes of continuous power
- New advanced gear system technology
- LED battery indicator with low battery and overload alerts

TECHNICAL DATA	iBrid HLR15
Ø Backing pad [mm - in]	125 - 5"
Backing pad supplied	980.710
Ø Orbit [mm - in]	15 - 19/32"
Volt DC	18V
Battery life time	30-40 min
Charging time	50-55 min
R.P.M.	3000 - 5000
Weight (without battery) kg-lbs	1,75 - 3,8
Speed control	•
Overcurrent protection	•
Electronic switch	•
Led indicator	•

HLR15/CB2/STD

Kit iBrid HLR15

Quantity	Code
1	
iBrid HLR15	9.HLR15
Dual battery charger	9HC185LT
Rechargeable power pack	9HB185LT

Packaged in a RUPES carton box



HLR15/CB2/BAS

Kit iBrid HLR15

Quantity	Code
1	9.HLR15
D-A INTERMEDIATE foam polishing pad	9.DA150B
D-A FINE foam polishing pad	9.DA150M
Wool polishing pad COARSE	9.NW130H
Wool polishing pad MEDIUM	9.NW130M
D-A COARSE polishing compound	9.DACOARSE250
D-A FINE polishing compound	9.DAFINE250
Dual battery charger	9HC185LT
Rechargeable power pack	9HB185LT

Packaged in a RUPES carton box



BigFoot Polishers

NEW



LHR21 MarkV/STD

Random orbital polisher

- Evolution of the LHR 21 MarkIII, the LHR 21 MarkV allows to achieve high quality finishes with limited steps
- Engineered for noise reduction and minimal vibrations
- New advanced gear system technology

TECHNICAL DATA	LHR21 V
Ø Backing pad [mm - in]	150 - 6"
Ø Orbit [mm - in]	21 - 13/16"
Power [W]	500
R.P.M.	3000 - 4500
Weight [kg - lbs]	2,7 - 5,95
Electronic speed control	•
Spindle thread	M8 - F
Backing pad supplied	981.710
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box



LHR21V/BAS

Kit LHR21 MarkV

Q.ty Code

LHR21 MarkV Random orbital polisher	1	LHR21 V
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø160	1	9.NW160H
D-A INTERMEDIATE foam pad Ø150 - 180mm	1	9.DA180B
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Cable Clamp	1	9.Z1024

Packaged in a RUPES carton box

LHR21V/LUX

Kit LHR21 MarkV

Q.ty Code

LHR21 MarkV Random orbital polisher	1	LHR21 V
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
UNO PROTECT One - Step Polish & Sealant 250ml	1	9.PROTECT250
Wool polishing pad COARSE Ø160	1	9.NW160H
Wool polishing pad MEDIUM Ø160	1	9.NW160M
D-A INTERMEDIATE foam pad Ø150 - 180mm	1	9.DA180B
D-A FINE foam polishing pad Ø150 - 180mm	1	9.DA180M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Microfiber cloth White	1	9.BF9070
Claw pad	1	9.BF7001
Cable clamp	1	9.Z1024
BigFoot apron	1	9.Z868
BigFoot tools bag	1	9.Z1043/BF



BigFoot Polishers

NEW



LHR15 MarkV/STD

Random orbital polisher

- Evolution of the LHR 15 MarkIII, the LHR 15 MarkV allows to achieve high quality finishes with limited steps
- Engineered for noise reduction and minimal vibrations
- New advanced gear system technology

TECHNICAL DATA	LHR15 V
Ø Backing pad [mm - in]	125 - 5"
Ø Orbit [mm - in]	15 - 19/32"
Power [W]	500
R.P.M.	3000 - 5200
Weight [kg - lbs]	2,6 - 5,73
Electronic speed control	•
Spindle thread	M8 - F
Backing pad supplied	980.710
Electrical Cord [m - ft]	9 - 30'

Packaged in a RUPES carton box



LHR15V/BAS

Kit LHR15 MarkV

Q.ty Code

LHR15 MarkV Random orbital polisher	1	LHR15 V
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
Wool polishing pad COARSE Ø130	1	9.NW130H
D-A INTERMEDIATE foam pad Ø130 - 150mm	1	9.DA150B
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Cable clamp	1	9.Z1024

Packaged in a RUPES carton box

LHR15V/LUX

Kit LHR15 MarkV

Q.ty Code


LHR15 MarkV Random orbital polisher	1	LHR15 V
D-A COARSE polishing compound 250ml	1	9.DACOARSE250
D-A FINE polishing compound 250ml	1	9.DAFINE250
UNO PROTECT One - Step Polish & Sealant 250ml	1	9.PROTECT250
Wool polishing pad COARSE Ø130	1	9.NW130H
Wool polishing pad MEDIUM Ø130	1	9.NW130M
D-A INTERMEDIATE foam pad Ø130 - 150mm	1	9.DA150B
D-A FINE foam polishing pad Ø130 - 150mm	1	9.DA150M
Microfiber cloth Blue	1	9.BF9050
Microfiber cloth Yellow	1	9.BF9060
Microfiber cloth White	1	9.BF9070
Claw pad	1	9.BF7001
Cable clamp	1	9.Z1024
BigFoot apron	1	9.Z868
BigFoot tools bag	1	9.Z1043/BF



D-A SERIES

FOAM POLISHING PADS

For Random Orbital and Gear Driven Polishers



30-1.25"
Ø mm-Ø in
40-1.5"

Code	Description	Unit
9.DA40H/6	COARSE	1 tube with 6 foam
9.DA40M/6	FINE	1 tube with 6 foam
9.DA40S/6	ULTRA FINE	1 tube with 6 foam

50-2"
Ø mm-Ø in
70-3"

Code	Description	Unit
9.DA70H/4	COARSE	1 tube with 4 foam
9.DA70M/4	FINE	1 tube with 4 foam
9.DA70S/4	ULTRA FINE	1 tube with 4 foam

80-3"
Ø mm-Ø in
100-4"

Code	Description	Unit
9.DA100H	COARSE	1 pack with 1 pad
9.DA100M	FINE	1 pack with 1 pad
9.DA100S	ULTRA FINE	1 pack with 1 pad
9.DA100H/48	COARSE	1 case with 48 pads*
9.DA100M/48	FINE	1 case with 48 pads*
9.DA100S/48	ULTRA FINE	1 case with 48 pads*

130-5"
Ø mm-Ø in
150-6"

Code	Description	Unit
9.DA150H	COARSE	1 pack with 1 pad
9.DA150M	FINE	1 pack with 1 pad
9.DA150S	ULTRA FINE	1 pack with 1 pad
9.DA150H/48	COARSE	1 case with 48 pads*
9.DA150M/48	FINE	1 case with 48 pads*
9.DA150S/48	ULTRA FINE	1 case with 48 pads*

150-6"
Ø mm-Ø in
180-7"


Code	Description	Unit
9.DA180H	COARSE	1 pack with 1 pad
9.DA180M	FINE	1 pack with 1 pad
9.DA180S	ULTRA FINE	1 pack with 1 pad
9.DA180H/48	COARSE	1 case with 48 pads*
9.DA180M/48	FINE	1 case with 48 pads*
9.DA180S/48	ULTRA FINE	1 case with 48 pads*

Polishing Pads

NEW

D-A SERIES Wool polishing pads Ø80 mm (3")


CODE	Description	Color	Quantity
9.NW80H	COARSE	Blue	1 pack with 1 pad
9.NW80H/48	COARSE	Blue	1 box with 48 pads
9.NW80M	MEDIUM	Yellow	1 pack with 1 pad
9.NW80M/48	MEDIUM	Yellow	1 box with 48 pads



NEW

D-A SERIES Wool polishing pads Ø130 mm (5")


CODE	Description	Color	Quantity
9.NW130H	COARSE	Blue	1 pack with 1 pad
9.NW130H/48	COARSE	Blue	1 box with 48 pads
9.NW130M	MEDIUM	Yellow	1 pack with 1 pad
9.NW130M/48	MEDIUM	Yellow	1 box with 48 pads




NEW

D-A SERIES Wool polishing pads Ø160 mm (6")

CODE	Description	Color	Quantity
9.NW160H	COARSE	Blue	1 pack with 1 pad
9.NW160H/48	COARSE	Blue	1 box with 48 pads
9.NW160M	MEDIUM	Yellow	1 pack with 1 pad
9.NW160M/48	MEDIUM	Yellow	1 box with 48 pads



Polishing Pads



Microfiber polishing pads Ø135 mm (5")

CODE	Description	Color	Quantity
9.MF130H	COARSE	Blue	1 pack with 1 pad
9.MF130H/48	COARSE	Blue	1 box with 48 pads
9.MF130M	FINE	Yellow	1 pack with 1 pad
9.MF130M/48	FINE	Yellow	1 box with 48 pads
9.MF130S	ULTRA FINE	White	1 pack with 1 pad
9.MF130S/48	ULTRA FINE	White	1 box with 48 pads



Microfiber polishing pads Ø160 mm (6")

CODE	Description	Color	Quantity
9.MF160H	COARSE	Blue	1 pack with 1 pad
9.MF160H/48	COARSE	Blue	1 box with 48 pads
9.MF160M	FINE	Yellow	1 pack with 1 pad
9.MF160M/48	FINE	Yellow	1 box with 48 pads
9.MF160S	ULTRA FINE	White	1 pack with 1 pad
9.MF160S/48	ULTRA FINE	White	1 box with 48 pads

Polishing Pads



Rotary waffle foam pads Ø85 - 90 mm (3" - 3.5")

CODE	Description	Color	Quantity
9.WF90H	COARSE	Blue	1 pack with 1 pad
9.WF90H/48	COARSE	Blue	1 box with 48 pads
9.WF90M	FINE	Yellow	1 pack with 1 pad
9.WF90M/48	FINE	Yellow	1 box with 48 pads
9.WF90S	ULTRA FINE	White	1 pack with 1 pad
9.WF90S/48	ULTRA FINE	White	1 box with 48 pads



Rotary waffle foam pads Ø130 - 140 mm (5" - 5.5")

CODE	Description	Color	Quantity
9.WF150H	COARSE	Blue	1 pack with 1 pad
9.WF150H/48	COARSE	Blue	1 box with 48 pads
9.WF150M	FINE	Yellow	1 pack with 1 pad
9.WF150M/48	FINE	Yellow	1 box with 48 pads
9.WF150S	ULTRA FINE	White	1 pack with 1 pad
9.WF150S/48	ULTRA FINE	White	1 box with 48 pads



Rotary waffle foam pads Ø155 - 165 mm (6" - 6.5")


CODE	Description	Color	Quantity
9.WF180H	COARSE	Blue	1 pack with 1 pad
9.WF180H/48	COARSE	Blue	1 box with 48 pads
9.WF180M	FINE	Yellow	1 pack with 1 pad
9.WF180M/48	FINE	Yellow	1 box with 48 pads
9.WF180S	ULTRA FINE	White	1 pack with 1 pad
9.WF180S/48	ULTRA FINE	White	1 box with 48 pads



Rotary waffle foam pads Ø170 - 180 mm (6.5" - 7")

CODE	Description	Color	Quantity
9.WF200H	COARSE	Blue	1 pack with 1 pad
9.WF200H/48	COARSE	Blue	1 box with 48 pads
9.WF200M	FINE	Yellow	1 pack with 1 pad
9.WF200M/48	FINE	Yellow	1 box with 48 pads
9.WF200S	ULTRA FINE	White	1 pack with 1 pad
9.WF200S/48	ULTRA FINE	White	1 box with 48 pads

Polishing Pads



**Foam polishing pads
Ø80 mm (3")**

CODE	Description	Color	Quantity
9.BR90H	COARSE	Blue	1 pack with 1 pad
9.BR90H/48	COARSE	Blue	1 box with 48 pads
9.BR90M	FINE	Yellow	1 pack with 1 pad
9.BR90M/48	FINE	Yellow	1 box with 48 pads
9.BR90S	ULTRA FINE	White	1 pack with 1 pad
9.BR90S/48	ULTRA FINE	White	1 box with 48 pads



**Foam polishing pads
Ø135 mm (5")**

CODE	Description	Color	Quantity
9.BR150H	COARSE	Blue	1 pack with 1 pad
9.BR150H/48	COARSE	Blue	1 box with 48 pads
9.BR150M	FINE	Yellow	1 pack with 1 pad
9.BR150M/48	FINE	Yellow	1 box with 48 pads
9.BR150S	ULTRA FINE	White	1 pack with 1 pad
9.BR150S/48	ULTRA FINE	White	1 box with 48 pads



**Foam polishing pads
Ø160 mm (6")**

CODE	Description	Color	Quantity
9.BR180H	COARSE	Blue	1 pack with 1 pad
9.BR180H/48	COARSE	Blue	1 box with 48 pads
9.BR180M	FINE	Yellow	1 pack with 1 pad
9.BR180M/48	FINE	Yellow	1 box with 48 pads
9.BR180S	ULTRA FINE	White	1 pack with 1 pad
9.BR180S/48	ULTRA FINE	White	1 box with 48 pads



**Foam polishing pads
Ø180 mm (7")**

CODE	Description	Color	Quantity
9.BR200H	COARSE	Blue	1 pack with 1 pad
9.BR200H/48	COARSE	Blue	1 box with 48 pads
9.BR200M	FINE	Yellow	1 pack with 1 pad
9.BR200M/48	FINE	Yellow	1 box with 48 pads
9.BR200S	ULTRA FINE	White	1 pack with 1 pad
9.BR200S/48	ULTRA FINE	White	1 box with 48 pads

Polishing Pads



**Cut & finish wool polishing pads
for backing Ø75mm Ø3"**

CODE	Description	Color	Quantity
9.BL80F	CUT&FINISH	White	1 pack with 1 pad
9.BL80F/48**	CUT&FINISH	White	1 box with 48 pads



**Cut & finish wool polishing pads
for backing Ø125mm Ø5"**

CODE	Description	Color	Quantity
9.BL150F	CUT&FINISH	White	1 pack with 1 pad
9.BL150F/48	CUT&FINISH	White	1 box with 48 pads



**Cut & finish wool polishing pads
for backing Ø150mm Ø6"**

CODE	Description	Color	Quantity
9.BL180F	CUT&FINISH	White	1 pack with 1 pad
9.BL180F/48	CUT&FINISH	White	1 box with 48 pads



**Cut & finish wool polishing pads
for backing Ø165mm Ø6.5"**

CODE	Description	Color	Quantity
9.BL200F	CUT&FINISH	White	1 pack with 1 pad
9.BL200F/48	CUT&FINISH	White	1 box with 48 pads



D-A COARSE is a high-performance compound from RUPES designed for maximum efficiency in multiple industries. This fast cutting, bodyshop safe, compound is ideal for technicians who want quick defect removal, a smooth user experience, low dusting, easy wipe off, and high gloss finishing from a single product. D-A COARSE is optimized for incredible all-round performance on BigFoot dual-action random orbital and gear-driven orbital tools. When paired with RUPES coarse foam, wool, or microfiber pads D-A COARSE is capable of removing 1500 grit sand scratches on most automotive paint surfaces, gelcoat, and similar materials.

ORDERS IN MULTIPLE OF 12 BOTTLES **250 ml**

Code	Description	Unit per case	Unit
• 9.DACOARSE250	COARSE	12	1 bottle

ORDERS IN MULTIPLE OF 6 BOTTLES **1000 ml**

Code	Description	Unit per case	Unit
• 9.DACOARSE	COARSE	6	1 bottle

ORDERS IN MULTIPLE OF 2 TANKS **5L**

Code	Description	Unit per case	Unit
• 9.DACOARSE5L	COARSE	2	1 tank

D-A FINE is the result of extensive testing to develop a fine polish that combines noticeable cutting performance with impressive finishing capability. The proprietary formula developed and blended in-house by RUPES is designed to perform with both large stroke random orbital polishers and gear-driven orbital polishers. Combined with RUPES specially designed yellow foam, wool, or microfiber pads DA-FINE delivers a much higher level of defect removal when compared to traditional fine polishing compounds, yet still provides the incredibly high finish quality and easy wipe off expected from a product formulated for final finishing after a coarse cutting compound. RUPES D-A FINE is body shop safe and performs well on clear coat, single stage paint, gelcoat, varnish, and more.

ORDERS IN MULTIPLE OF 12 BOTTLES **250 ml**

Code	Description	Unit per case	Unit
• 9.DAFINE250	FINE	12	1 bottle

ORDERS IN MULTIPLE OF 6 BOTTLES **1000 ml**

Code	Description	Unit per case	Unit
• 9.DAFINE	FINE	6	1 bottle

ORDERS IN MULTIPLE OF 2 TANKS **5L**

Code	Description	Unit per case	Unit
• 9.DAFINE5L	FINE	2	1 tank



RUPES UNO PROTECT

UNO PROTECT is an all-in-one compound, polish, and protectant that can remove moderate defects and leave a high-gloss, protected finish, in just one-step. The specialized blend of advanced abrasives combined with high tech synthetic sealants and carnauba wax can be applied by machine or by hand and allows Uno Protect to quickly remove surface imperfections leaving behind a durable layer of polymer protection that lasts up to 60 days. Uno Protect produces rapid results with minimal effort making it the ideal solution for express detail services, high-volume detail shops, car dealerships, and used car reconditioning facilities.

Features and benefits:

- Removes moderate-to-light defects in one step
- Polishes the surface to a high gloss shine
- Provides a protective layer that last up to 60 days
- Wipes off easily
- Can be applied by machine or by hand. (Apply by machine for best results)
- Compatible with Random Orbital, Gear Driven, or Rotary tools
- Easily adjust the cut or finish quality by changing pads

APPLICATION CHART*

MOVEMENT/TOOLS	POLISHING PAD TYPE	DEFECT LEVEL		
 ROTARY GEAR DRIVEN RANDOM ORBITAL		Very light-none	Light	Moderate
	White Foam [9.DA-9.BG-9.BR series]			
	Yellow Foam [9.DA-9.BG-9.BR series]			
 GEAR DRIVEN RANDOM ORBITAL	Yellow Wool [9.BW series]			
	Blue Wool [9.BW series]			

*In combination with BigFoot Polishing Pads

Code	Description	Size	Unit per case	Unit
9.PROTECT250	Polish & Sealant	250ml	12	1 bottle
9.PROTECT	Polish & Sealant	1000ml	6	1 bottle
9.PROTECT5L	Polish & Sealant	5L	2	1 tank

ORDERS IN MULTIPLE OF 12 X 250ml BOTTLES / ORDERS IN MULTIPLE OF 6 X 1000ml BOTTLES
ORDERS IN MULTIPLE OF 2 X 5L TANKS

UNIVERSAL ULTRA-FINE FINISHING POLISH

UNO PURE is a universally compatible, ultra-fine abrasive polish designed for use on all tool types, including Rotary, Random Orbital, or Gear-Driven Orbital. The proprietary formula, developed and blended in-house by RUPES, uses the latest in abrasive technology to produce the highest possible optical clarity and reflectivity when used with RUPES BigFoot polishing system tools and pads. UNO PURE is ideal for very soft or haze-prone paints or can be used in jewelry applications to create a show car finish, even on dark colors. The absence of fillers, ease of use, easy wipe-off ensure the best user experience, and body shop safe formulation makes it the ideal solution for a variety of applications.

Features and benefits:

- Universal across all BigFoot Polishing System Movements
- Smooth user experience with easy wipe off
- Unmatched finishing quality, even on the softest paint systems
- Validated for all paint types, including single stage, clearcoat, hard, soft, or "sticky" paints
- Versatile applications, simply change the pad to change the performance
- No intentional filling ingredients added
- No protection properties, leaves the finish "PURE" and ready for application of a protective product
- For best results, use with RUPES Ultra-Fine White Finishing Foam Pads

Code	Description	Size	Unit per case	Unit
9.PURE250	Ultra finishing polish	250ml	12	1 bottle
9.PURE	Ultra finishing polish	1000ml	6	1 bottle
9.PURE5L	Ultra finishing polish	5L	2	1 tank

ORDERS IN MULTIPLE OF 12 X 250ml BOTTLES / ORDERS IN MULTIPLE OF 6 X 1000ml BOTTLES
ORDERS IN MULTIPLE OF 2 X 5L TANKS

Polishing Compounds



ROTARY COARSE

COARSE polishing compound rotary polishers

- Versatile and universal, allows even deep scratches to be removed
- Good creaminess that allows you to always work in optimal conditions without creating dust

CODE	9.BRCOARSE250	9.BRCOARSE	9.BRCOARSE5L
Description	COARSE	COARSE	COARSE
Dimensions	250 mL	1000 mL	5 L
Unit	1 Bottle	1 Bottle	1 Tank
Units per pack	12 Bottles	6 Bottles	2 Tanks
Orders multiple of	12 Bottles	6 Bottles	2 Tanks



ROTARY FINE

FINE polishing compound for rotary polishers

- Ideal product for achieving the right mix of cut and finish
- Specifically formulated for perfect finishes even on particularly hard clear coats

CODE	9.BRFINE250	9.BRFINE	9.BRFINE5L
Description	FINE	FINE	FINE
Dimensions	250 mL	1000 mL	5 L
Unit	1 Bottle	1 Bottle	1 Tank
Units per pack	12 Bottles	6 Bottles	2 Tanks
Orders multiple of	12 Bottles	6 Bottles	2 Tanks



ROTARY Black Line

COARSE polishing compound for dark paints and carbon fibre

- Cutting compound specially designed to polish dark paint systems, carbon fibers and composite materials
- This rotary compound allows to correct severe defects and sanding marks

CODE	9.BRCOARSEBL	9.BRCOARSEBL5L
Description	COARSE	COARSE
Dimensions	1000 mL	5 L
Unit	1 Bottle	1 Tank
Units per pack	6 Bottles	2 Tanks
Orders multiple of	6 Bottles	2 Tanks

LHR 21 MarkIII

Random orbital polisher

TECHNICAL DATA

Ø backing pad	mm-in	150-6"
Ø orbit	mm-in	21 - 13/16"
Power	Watt	500
R.P.M.		3000 - 4500
Weight	kg-lbs	2,7 - 5,95
Speed control		•
Spindle thread		M8-F
Backing pad supplied		981.321N
Electrical Cord	m - ft	9 - 30'

LHR 21III/LUX

- 1 X LHR 21 MarkIII Random orbital polisher (Ø150mm - Ø6" - 21mm orbit)
- 1 X D-A COARSE polishing compound 250ml (cod. 9.DACOARSE)
- 1 X D-A FINE polishing compound 250ml (cod. 9.DAFINE)
- 1 X UNO PROTECT One-Step Polish & Sealant 250ml (cod. 9.PROTECT)
- 1 X Wool polishing pad COARSE Ø150-170mm (cod. 9.BW180H)
- 1 X Wool polishing pad FINE Ø150-170mm (cod. 9.BW180M)
- 1 X D-A COARSE foam polishing pad Ø150-180mm - Ø6"-7" (cod. 9.DA180H)
- 1 X D-A FINE foam polishing pad Ø150-180mm - Ø6"-7" (cod. 9.DA180M)
- 1 X Microfiber cloth Blue (cod. 9.BF9050)
- 1 X Microfiber cloth Yellow (cod. 9.BF9060)
- 1 X Microfiber cloth White (cod. 9.BF9070)
- 1 X Claw pad (cod. 9.BF7001)
- 1 X Cable Clamp (cod. 9.Z1024)
- 1 X BIGFOOT apron (cod. 9.Z868)
- 1 X BIGFOOT tools bag (cod. 9.Z1043/BF)



LHR 21III/BAS

- 1 X LHR 21 MarkIII Random orbital polisher (Ø150mm - Ø6" - 21mm orbit)
- 1 X D-A COARSE polishing compound 250ml (cod. 9.DACOARSE)
- 1 X D-A FINE polishing compound 250ml (cod. 9.DAFINE)
- 1 X Wool polishing pad COARSE Ø150-170mm (cod. 9.BW180H)
- 1 X D-A FINE foam polishing pad Ø150-180mm - Ø6"-7" (cod. 9.DA180M)
- 1 X Microfiber cloth Blue (cod. 9.BF9050)
- 1 X Microfiber cloth Yellow (cod. 9.BF9060)
- 1 X Cable Clamp (cod. 9.Z1024)

NOTE: all items packaged in a RUPES carton box.



LHR 21III/STD

- 1 X LHR 21MarkIII Random orbital polisher (Ø150mm - Ø6" - 21mm orbit)

NOTE: all items packaged in a RUPES carton box.



LHR 15 MarkIII

Random orbital polisher

TECHNICAL DATA

Ø backing pad	mm-in	125-5"
Ø orbit	mm-in	5 - 19/32"
Power	Watt	500
R.P.M.		3000 - 5200
Weight	kg-lbs	2,6 - 5,73
Speed control		•
Spindle thread		M8-F
Backing pad supplied		980.027N
Electrical Cord	m - ft	9 - 30'

Mark III



LHR 15III/LUX

- 1 X LHR 15 MarkIII Random orbital polisher (Ø125mm - Ø5" - 15mm orbit)
- 1 X D-A COARSE polishing compound 250ml (cod. 9.DACOARSE)
- 1 X D-A FINE polishing compound 250ml (cod. 9.DAFINE)
- 1 X UNO PROTECT One-Step Polish & Sealant 250ml (cod. 9.PROTECT)
- 1 X Wool polishing pad COARSE Ø130-145mm (cod. 9.BW150H)
- 1 X Wool polishing pad FINE Ø130-145mm (cod. 9.BW150M)
- 1 X D-A COARSE foam polishing pad Ø130-150mm - Ø5"-6" (cod. 9.DA150H)
- 1 X D-A FINE foam polishing pad Ø130-150mm - Ø5"-6" (cod. 9.DA150M)
- 1 X Microfiber cloth Blue (cod. 9.BF9050)
- 1 X Microfiber cloth Yellow (cod. 9.BF9060)
- 1 X Microfiber cloth White (cod. 9.BF9070)
- 1 X Claw pad (cod. 9.BF7001)
- 1 X Cable Clamp (cod. 9.Z1024)
- 1 X BIGFOOT apron (cod. 9.Z868)
- 1 X BIGFOOT tools bag (cod. 9.Z1043/BF)



LHR 15III/BAS

- 1 X LHR 15 MarkIII Random orbital polisher (Ø125mm - Ø5" - 15mm orbit)
- 1 X D-A COARSE polishing compound 250ml (cod. 9.DACOARSE)
- 1 X D-A FINE polishing compound 250ml (cod. 9.DAFINE)
- 1 X Wool polishing pad COARSE Ø130-145mm (cod. 9.BW150H)
- 1 X D-A FINE foam polishing pad Ø130-150mm - Ø5"-6" (cod. 9.DA150M)
- 1 X Microfiber cloth Blue (cod. 9.BF9050)
- 1 X Microfiber cloth Yellow (cod. 9.BF9060)
- 1 X Cable Clamp (cod. 9.Z1024)



NOTE: all items packaged in a RUPEŠ carton box.

LHR 15III/STD

- 1 X LHR 15 MarkIII Random orbital polisher (Ø125mm - Ø5"-15mm orbit)

NOTE: all items packaged in a RUPEŠ carton box.



LHR 75E MINI

Random orbital polisher

TECHNICAL DATA

Ø backing pad	mm-in	75 - 3"
Ø orbit	mm-in	12 - 1/2"
Power	Watt	400
R.P.M.		4000 - 5500
Weight	kg-lbs	1,9 - 4,18
Speed control		•
Spindle thread		M6-F
Backing pad supplied		990.007
Electrical Cord	m - ft	9 - 30'

Bigfoot



LHR 75E/LUX

- 1 X LHR 75E MINI Random orbital polisher (Ø75mm - Ø3"-12mm orbit)
- 1 X D-A COARSE polishing compound 250ml (cod. 9.DACOARSE)
- 1 X D-A FINE polishing compound 250ml (cod. 9.DAFINE)
- 1 X Wool polishing pad COARSE Ø80-90mm (cod. 9.BW100H)
- 1 X Wool polishing pad FINE Ø80-90mm (cod. 9.BW100M)
- 1 X D-A COARSE foam polishing pad Ø80-90mm - Ø3"-3,5" (cod. 9.DA100H)
- 1 X D-A FINE foam polishing pad Ø80-90mm - Ø3"-3,5" (cod. 9.DA100M)
- 1 X Microfiber cloth Blue (cod. 9.BF9050)
- 1 X Microfiber cloth Yellow (cod. 9.BF9060)
- 1 X Microfiber cloth White (cod. 9.BF9070)
- 1 X Cable Clamp (cod. 9.Z1024)
- 1 X BIGFOOT apron (cod. 9.Z868)
- 1 X BIGFOOT tools bag (cod. 9.Z883/BF)



LHR 75E/BAS

- 1 X LHR 75E MINI Random orbital polisher (Ø75mm - Ø3"-12mm orbit)
- 1 X D-A COARSE polishing compound 250ml (cod. 9.DACOARSE)
- 1 X D-A FINE polishing compound 250ml (cod. 9.DAFINE)
- 1 X Wool polishing pad COARSE Ø80-90mm (cod. 9.BW100H)
- 1 X Wool polishing pad FINE Ø80-90mm (cod. 9.BW100M)
- 1 X D-A COARSE foam polishing pad Ø80-90mm - Ø3"-3,5" (cod. 9.DA100H)
- 1 X D-A FINE foam polishing pad Ø80-90mm - Ø3"-3,5" (cod. 9.DA100M)
- 1 X Microfiber cloth Blue (cod. 9.BF9050)
- 1 X Microfiber cloth Yellow (cod. 9.BF9060)
- 1 X Cable Clamp (cod. 9.Z1024)



NOTE: all items packaged in a RUPEŠ carton box.

LHR 75E/STD

- 1 X LHR 75E Random orbital polisher (Ø75mm - Ø3"-12mm orbit)

NOTE: all items packaged in a RUPEŠ carton box.



LH 19E

Rotary Polisher

TECHNICAL DATA

Ø polishing foam pad max mm	mm-in	200 - 8"
Ø backing pad Availables	mm-in	5 - 19/32"
Power	Watt	500
R.P.M.		3000 - 5200
Weight	kg-lbs	2,6 - 5,73
Speed regulation		•
Backing pad thread		M14 [U.S.A. version 5/8"]
Electrical Cord	m - ft	9 - 30'



LH 19E/DLX

- 1 X LH 19E Rotary polisher
- 1 X BIGFOOT tools bag cod. [9.Z998/BF]
- 1 X Polishing compound 250ml COARSE [cod. 9.BRCOARSE250]
- 1 X Polishing compound 250ml FINE [cod. 9.BRFINE250]
- 2 X Foam polishing pad COARSE Ø135mm - Ø5.25" [cod. 9.BR150H]
- 2 X Foam polishing pad FINE Ø135mm - Ø5.25" [cod. 9.BR150M]
- 1 X Wool polishing pad Ø135mm - Ø5.25" [cod. 9.BL180H]
- 1 X Microfiber cloth Blue [cod. 9.BF9050]
- 1 X Microfiber cloth Yellow [cod. 9.BF9060]
- 1 X BIGFOOT apron [cod. 9.Z868]
- 1 X BIGFOOT Claw pad tool [cod. 9.BF7001]
- 1 X Backing pad Ø125mm - Ø5" M14 [cod. 992.500]
- 1 X Loop handle [cod. 811.374]
- 1 X Side handle [cod. 81.322]
- 1 X Cable Clamp [cod. 9.Z1024]



LH 19E/STN

- 1 X LH 19E Rotary polisher
- 1 X Polishing compound 250ml COARSE [cod. 9.BRCOARSE250]
- 1 X Polishing compound 250ml FINE [cod. 9.BRFINE250]
- 1 X Foam polishing pad COARSE Ø135mm - Ø5.25" [cod. 9.BR150H]
- 1 X Foam polishing pad FINE Ø135mm - Ø5.25" [cod. 9.BR150M]
- 1 X Backing pad Ø125mm - Ø5" M14 [cod. 992.500]
- 1 X Loop handle [cod. 811.374]
- 1 X Cable Clamp [cod. 9.Z1024]

NOTE: all items packaged in a RUPES carton box.



LH 19E/STD

- 1 X LH 19E Rotary polisher
- 1 X Backing pad Ø125mm - Ø5" M14 [cod. 992.500]
- 1 X Loop handle [cod. 811.374]

NOTE: all items packaged in a RUPES carton box.



Random Orbital Sander General Use



Model: ER155TE (1400.ER305TE)

Dia: 150mm
Variable Speed
Orbit: 5.0mm

Random Orbital Sander General Use



Model: ER305TE (1400.ER305TE)

Dia: 150mm
Variable Speed
Orbit: 5.0mm

Random Orbital Sander General Use

Available in 6,9 & 12mm Orbits for specific Requirements



Model: BR106AE (1400.BR106AE)

Dia: 150mm
Variable Speed
Orbit: 6.0mm

Orbital Half Sheet Sander 115x225MM - 10Holes



Model: SSPFVR (1400.SSPFVR)

Size: 115x225mm
Velcro
Orbit: 5.0mm

Angular Polisher V/Speed 1100W



Model: LH18ENS (1400.LH18ENS)

Power: 1100W
Variable Speed
Revs: 750-1850 RPM

Electric Heat Gun Paint Stripping / Removal of films



Model: GTV16 (1400.GTV16)

Power: 1600W
Air flow: 350 - 500 l/m
Temp: 350 - 500 °C

Orbital Long Bed Sander 70x400MM - 14Holes



Model: SL42AE (1400.SL42AE)

Size: 70x400mm
Velcro
Orbit: 4.8mm

Orbital Long Bed Sander 70x400MM - 14Holes



Model: SLP41A (1401.SLP41A)

Size: 70x400mm
Velcro
Orbit: 4.8mm

75MM Random Orbital Sander Spot Repair



Model: RA75A (1401.RA75A)
Fitting: 5/16"
Dia: 75mm
Orbit: 3.0mm

Random Orbital Sander General Use Available in 6,9 & 12mm Orbits for specific Requirements



Model: RH353T (1401.RH353T)
Rupes Skorpio III 150mm
3mm Orbital Sander with dust extraction

Random Orbital Sander General Use



Model: TA6A (1401.TA6A)
Rupes TA6ARandom-Orbital Sander
Triple Action 150mm

Random Orbital Sander General Use - Large Surface



Model: TA562AN (1401.TA562AN)
Dia: 200mm
Orbit: 5.2mm

Orbital Surface Sander 115x225mm - 10 Holes



Model: SO210AP (1401.SO210AP)
Fitting: Clips (included)
Size: 115x225mm
Orbit: 5.2mm

Random Orbital Sanders Compact Series



Model: RE21AC (1401.RE21AC)
RE21ACM: 80x130mm

Rupes Orbital Sander Delta Triangular



Model: RS21A (1401.RS21A)
Special Delta Pad
Revs: 11000RPM
Orbit: 3.0mm

Rupes Sander 80x130MM - with dust filter unit



Model: LE71T (1400.LE71T)
Size: 80x140mm

Rupes Air Sander 70x198MM



Model: RE21AL (1401.RE21AL)
Size: 70x198mm

Mobile Units Standard



Supplied:

- Antistatic hose Ø29mm - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108)
- Rotating sleeve (cod. 040.1108)
- Threaded rubber hose fitting (cod. 663.55/AS) x2



Supplied:

- Antistatic hose Ø29mm - 5m (cod. 9.1264/5/AS)
- Dust bag (cod. 130.1108)
- Rotating sleeve (cod. 040.1108)
- Threaded rubber hose fitting (cod. 663.55/AS) x2

S130L - S130EL

Professional vacuum cleaners 30L for electric tools

- 30 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class L
- It can be connected to electric tools. The S130EL version features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S130L	S130EL
Power [W]	1 x 1200	1 x 1200
Weight [kg]	10,5	10,5
Max power socket [W]	1 x 2400	1 x 2400
Vacuum [mmH ₂ O]	2000	2000
Noise [dB(A)]	70	70
Tank capacity [l]	30	30
Airflow capacity [l/min]	3400	3400
Suitable for dust class	L	L
Filter surface [m ²]	1	1
Tools [nr]	1	1
Electric tools socket [nr]	1	1
Automatic filter cleaning	-	•
Ø ID vacuum nozzle [mm]	50	50
Liquids sensor	-	•
Filter	Polyester	Polyester

S130PL - S130EPL

Professional vacuum cleaners 30L for electric/pneumatic tools

- 30 liter professional vacuum cleaner for extracting sanding dust and other types of industrial work residues. Protection class L
- It can be connected to electric and pneumatic tools. The S130EPL version features automatic filter cleaning and liquid sensor

TECHNICAL DATA	S130PL	S130EPL
Power [W]	1 x 1200	1 x 1200
Weight [kg]	10,5	10,5
Max power socket [W]	1 x 2400	1 x 2400
Vacuum [mmH ₂ O]	2000	2000
Noise [dB(A)]	70	70
Tank capacity [l]	30	30
Airflow capacity [l/min]	3400	3400
Suitable for dust class	L	L
Filter surface [m ²]	1	1
Tools [nr]	1	1
Electric tools socket [nr]	1	1
Air quick coupling tools [nr]	1	1
Working pressure [Bar]	6	6
Max comp. air cap.ty [l/min.]	1450	1450
Automatic filter cleaning	-	•
Ø ID vacuum nozzle [mm]	50	50
Liquids sensor	-	•
Filter	Paper	Paper

Mobile Units Standard



Patent

Integrated Work Station



Patent

Long Life Motors Technology

KS300EP - KS300EPH

Professional mobile vacuum cleaners with work station

- Professional vacuum cleaner with integrated workstation, Dual Motor Technology (two 1200W brush motors each) and 5m² filter area with three filtration steps (KS300EPH version also includes a Hepa filter). Alternating motor activation, one motor can support up to two pneumatic and/or electric tools simultaneously.
- Patent: Long-life motor technology (motors run in alternating mode-double lifetime/life compared to single-motor vacuum cleaner)
- Patent: Integrated workstation

TECHNICAL DATA	KS300EP	KS300EPH
Motor power [W]	2 x 1200	2 x 1200
Motor max. power [W]	2000	2000
Tool socket max. power [W]	2 X 800 1 X 1600	2 X 800 1 X 1600
Total maximum power [W]	3600max	3600max
Max. vacuum flow rate [m ³ /h]	300	300
Maximum vacuum [mmH ₂ O]	2000	2000
Filter surface [m ²]	2	2 + 2
Filter category	M (EN 60335 - 2 - 69)	M (EN 60335 - 2 - 69) HEPA - H14 (EN 1822)
Tank capacity [l]	65	65
Maximum bag capacity [kg]	10	10
Noise [dB(A)]	68 ± 2	68 ± 2
Tools [nr]	2	2
Air quick coupling tools [nr]	2	2
Electric tools socket [nr]	2	2
Ø ID vacuum nozzle [mm]	50	50
Working pressure [Bar]	6	6
Max. comp air flow rate [l/min]	1450	1450
Start - up mode	M - 0 - A	M - 0 - A
Dimensions (AxLxP) [cm]	73 x 52 x 89	73 x 52 x 89
Weight [kg]	33	33

Equipment KS300EP

Code

Dust bag TNT	063.1106/C
Evaflex hose Ø29/5m	9GAT02001/AS
Two-way union complete with 1 clapet valve	68.092/X

Equipment KS300EPH

Code

Dust bag TNT	063.1106/C
Evaflex hose Ø29/5m	9GAT02001/AS
Two-way union complete with 1 clapet valve	68.092/X
HEPA filter H14	071.1106

Mobile Units Standard



KR2A

Mobile Turbine 1,5 kW - 2 HP with integrated work station and cabinets

- Mobile workstation turbine with 1.5 kW power and automatic filter cleaning system
- Flexible, compact and ready to go (no installation).

TECHNICAL DATA	KR2A
Side channel pump	•
Electric supply	230V 1ph
Power [W/Hp]	1500/2
Weight [kg]	115
Vacuum max. [mmH ₂ O]	2400
Noise [dB(A)]	65
Tank capacity [l]	23
Flow capacity [m ³ /h]	250
Filter surface [m ²]	1
Tools [nr]	2
Working pressure [Bar]	6
Automatic filter cleaning	•
Ø ID vacuum nozzle [mm]	50
Dimensions (AxLxP) [cm]	136 x 98 x 62

Equipment

Art. Nr.

Antistatic hose assembly 5m Ø29 mm electric	9GAT02001/AS
Swing arm	054.1613/C
Hose/Cable holder	038.1306
Storage bay	023.1613/C
Complete antistatic y connection with 1 cover	68.092/X
Perforated board with hooks set 10 pcs included	021.1613/C
Reel holder	036.1613/C
Set 3 pieces fleece bag dust container	045.1612/3
Air pressure regulator	9GP01002

Accessory KR2A

Q.ty

Art. Nr.

H14 FILTER FOR KR2-KR2A	1	106.1613
-------------------------	---	----------





	1402.981.500	ER & RH Range	150MM Velcro MultiHole Backing Pad (M8) Suitable for ER & RH Range
	1402.981.600	RA & BR Range	150MM Velcro MultiHole Backing Pad (5/16) Suitable for RA & BR Range
	1402.981.090	LR31 Model	150MM Velcro MultiHole Backing Pad Suitable for LR31 Model
	1402.981.100	AK/BK/EK Range	150MM Velcro 6+1 Hole Backing Pad Suitable for AK/BK/EK Range
	1402.981.321	LHR15-21 BigFoot Range	150MM Velcro Backing Pad (M8) Suitable for LHR15-21 BigFoot Range
	1402.986.003	RE21AM	80x130MM Velcro Backing Pad Suitable for RE21AM
	1402.988.001	RE21AL	70X198MM Velcro MultiHole Backing Pad Suitable for RE21AL
	1402.983.002	SSPF	115X210MM Rubber Backing Pad Suitable for SSPF c/w Clips
	1402.62.55MH	SSPF VR	115X225MM Velcro MultiHole Backing Pad Suitable SSPF VR
	1402.618.083	SL42/SLP41	70X400MM Rubber Backing Pad Suitable for SL42 / SLP41
	1402.619.153MH	SL42AEV	70X400MM Velcro Multihole Backing Pad Suitable for SL42AEV
	1402.980.027	LHR15	Rupes Bigfoot LHR15 Backing Pad 125mm
	1402.990.007	M6-F	75mm Mini Bigfoot Backing Pad Velcro M6-F

CALL OUR SALES OFFICE +353 (0)49 5552340

Abcon – Your official Rupes distributor in Ireland

MONOPOL Commercial Paints

COMMERCIAL & INDUSTRIAL PAINTS
CROMATIC MIXING SYSTEM
COST EFFECTIVE
MULTI CHOICE APPLICATIONS

TRUCKS AND LIGHT COMMERCIAL VEHICLES
MONOPOL 2K SYSTEMS WITH HIGH COVERING POWER.
THE LINES HAS SPECIALLY:

- HIGH GLOSS
- LOW VOC
- HIGH PERFORMANCES

IF YOU CHOOSE THIS PRODUCTS YOU CAN REDUCE THE COST,
AND REDUCE THE SOLVENT EMISSIONS.
THOSE LINES ARE A NEW EVOLUTION FROM THOSE EXISTING
INTO THE MARKET GIVING:

- INCREASING THE PRODUCTIVITY
- EASY TO USE
- EXCELENT MECHANICAL AND CHEMICAL RESISTANCES
- HIGH QUALITY FINISH

APPLICATIONS



PRODUCT EXAMPLE
903 - 2K MS ACRYL TOPCOAT
FAMILY 1 - CALSS 7A (VOC

APPLICATION
LORRIES, CARS, BUSES, LIGHT COMMERCIAL, INDUSTRIAL
VEHICLES, INDUSTRY, AGRICULTURAL ...ETC

ALL APAQUE AND METALLIC TINTS

SPECULAR GLOSS
90-96% at 60° angle

THEORETICAL COVERAGE
10 - 14sqm per litre for 50µ dry

THICKNESS
Dry: 40-50µ
Wet: 100-130µ

DRYING TIME
Dust Free: 40min at 20°C
Dry to touch: 90min at 20°C
Backing: 45min at 60°C

ADJUSTMENT
HVLP SPLAY GUN
Nozzle: 1.2mm
Pressure: 2Bar
Number of coats: 1-2

Shine Mate

ES526
Electric Sander

1405.0526-6/5

ES526 professional-grade electric sander, mainly used for car body sanding in automotive paint preparation, also broadly used in industrial sanding such as furniture and woodworking for its high safety and efficiency.

Features:

- Detachable cable for convenient use -Optimized structure, improved performance 5mm/3mm Orbit size, for coarse and fine sanding
- Full wave electronics
- Full wave electronics controlling, constant speed output
- CE certification, comply with European standards

**ES550**
Electric Sander

1405.ES0550-5

ES550 is a powerful industrial-grade electric sander, widely used in ships (yachts), buses (passenger cars), rail trains (subway, high-speed rail), furniture etc.

Equipped with a 400x70mm square backing plate, suitable for sanding large and flat working surfaces, especially for furniture and rail transport industries.

Features:

- 600W Powerful motor
- 5mm Orbit for industrial coarse sanding
- Full wave electronics control for constant speed
- European standards, with CE certification

**EB201A- 1/3**
Random Orbital Sander

1405.EB201A-1/3

The EB201A-1 random orbital sander is a compact, cordless tool with a 31mm backing plate, 3mm/5mm orbit, and a brushless motor for easy maintenance, offering free movement and precision.

Features:

- Brushless motor, high torque, long service life
- Premium battery for long working time
- 3mm/5mm Orbit size
- European standards, with CE certification
- 1406.B1225A Battery & 1406.BC121 Charger Sold Separate

**EB202**
Grinder and Sander

1405.EB202

Features:

- The EB202 is a cordless grinder and sander.
- Works with sanding discs, polishing heads, and abrasive brushes.
- Ideal for grinding, sanding, cutting, and post-welding cleaning.
- Perfect for car body refinishing and metal surface treatment.
- Handles old paint removal, welding spots, and metal repair.
- 1406.B1250A battery & 1406.BC121 charger sold separate.

Main Applications

Install sanding discs and other consumables for purposes such as removing old paint, grinding welding spots, and welding scars.




Shine Mate

EP802 1405.EP802
Versatile Rotary Polisher**Designed for Professional Auto Polishing**

- Powerful 1050W motor
- Light weight of 2.2kg
- Variable speed 700-2500/min,
- Soft start, Trigger to adjust speed freely
- Ergonomic design for comfortable holding
- Built-in speed stabilizer, to offer the constant speed output
- Spindle lock for quick backing plate change
- 5-meter long power supply cord

Newly Released !

- ✓ New grip hood design
- ✓ Dual speed control system
- ✓ Upgraded power

Outstanding Features:**EX618** 1405.EX618-5/15
Random Orbital Polisher**Outstanding Features:****Features:**

- Achieves fast, swirl-free polishing for car paint.
- Ideal for professional car care and detailing.
- Powered by an 800W motor for enhanced performance.
- Reaches a high speed of 5800 RPM for efficient polishing.
- Designed to deliver exceptional results quickly and easily.

EB212 1405.EB212
Random Orbital Polisher**Features:**

- High-precision CNC Parts
- 12mm Orbit size
- The bare machine weighs 0.78kg
- No gears, low noise level
- 1406.B1225A Battery & 1406.BC121 Charger Sold Separate

Outstanding Features:**EB351** 1405.90511B
Cordless Orbital Polisher

EB351-5/15
5",Orbit 15mm

Features:

- High-precision CNC Eccentric Balance: Ultra-smooth, low vibration.
- Stepless Speed Setting: Adjustable speed from 2000-5000 RPM.
- Accelerator Switch: Precise control with speed from 1000 RPM.
- Soft Grip Hood: Ergonomic, secure, comfortable at any angle.
- Lightweight: Only 1.7kg (without battery), reduces fatigue.
- Constant Speed Output: Maintains speed under load.
- Smooth Start-up: Safe and extends tool life.
- Overload Current Limiting: Prevents motor overload.
- 1406.B1850A Battery & 1406.BC181 Charger Sold Separate

Shine Mate

10.8V Intelligent Li-ion System

Battery Pack

- Premium battery for long working time
- Small size, lightweight

Model	B1225A	B1250A
Capacity	2.5 Ah / 27.0 Wh	5.0 Ah / 54.0 Wh
Voltage	10.8V DC	10.8V DC
Weight	0.18kg	0.38kg
Overload Protection	✓	✓
Type	Rechargeable	Rechargeable



MULTIMASTER INDUSTRIAL MIXING SYSTEM

WORKS WITH SYNTHETIC, NITRO,
POLYURETHANE, ACRYLIC AND EPOXY RESINS

- 22 Highly concentrated universal toners
- Exceptional durability & minimal base requirement
- Ensure professional grade results every time
- Ideal for vehicles, machinery, furniture, wood and metal industries



18V Intelligent Li-ion System



1406.B1850A

Battery Pack

- Premium battery core inside
- High capacity for long running time



Model	B1850A
Capacity	5.0Ah/90Wh
Voltage	18V DC
Weight	0.7kg
Overload	✓
Protection	✓
Type	Rechargeable



BC121

1406.BC121

Battery Charger

- Dual-channel for charging 2 batteries • 100-240V AC input • Integrated AIRCOOL technology • 3.0 Amp charge current • Advanced MCU controlled circuit

Model	BC121
Product Input	Single Bay Charger
Output 1	100-240V~50/60Hz
Output 2	10.8V DC, 3.0 Amp
Rated Power	55W
Recommended Ambient	+4°C ~ +40°C
Weight	0.25kg
Charging Time	50-60 min(2.5Ah) 100-120 min(5.0Ah)

DICHEMIX SOLVENT MIXING SYSTEM

Professional car refinishing system

25 ACRYLIC 2K DIRECT GLOSS

48 Basecoat
16 Pearls
6 Xirallic

160 READY TO USE TONERS

Utilising 2k, basecoats, pearls and xirallic to create an extensive selection of car refinish colours found worldwide.



- Collection of 10,000 hand-sprayed colour chips
- Database containing 120,000 formulations
- Competitive pricing with high-quality performance

Dust-free Hand Sanding Blocks 1406.73108K



Item No.	Size(mm)	Color	Hook&Loop	Remark
73108K	70x200	Red	✓	4 Backing Plates

18V Intelligent Li-ion System



1406.BC181

Model	BC181
Product Input	Single Bay Charger
Output 1	100-240V~50/60Hz
Output 2	18V DC/4.0Amps
Rated Power	80W
Recommended Ambient	+4°C ~ +40°C
Weight	0.66kg
Charging Time	50-60 min(2.5Ah) 90-100 min(5.0Ah)

Multimaster Acrylic Primer 5:1
Primer 2.5ltr and 0.5ltr



Capacity	Colour	Part No
2.5Ltr	White	7400.36.110-2.5
2.5Ltr	Dark Grey	7400.36.151-2.5
2.5Ltr	Light Grey	7400.36.160-2.5
2.5Ltr	Black	7400.36.120-2.5
0.5Ltr	(Hardener)	7400.39.552-0.5

Multimaster Anticorrosive 1K Fast Dry
Primer 30kg and 5kg



Capacity	Part No
30kg	7400.82.200.30
5kg	7400.82.200.5

Multimaster
1k Plastic Primer 1ltr




Capacity	Part No
1Ltr	7400.36.160

Multimaster
UniHard 500 Fast 0.5ltr



Capacity	Part No
0.5Ltr	7400.39.797-0.5

Multimaster
UniHard 500 Fast 1ltr



Capacity	Part No
1Ltr	7400.39.797-1

High Build Grey
Primer 400ml



- Fast Drying
- Suitable for Spot Repair
- Grey Colour

Capacity	Part No
400ml	7400.DS830

Underbody Black
Aerosol 400ml



- High Mechanical & Chemical Resistance
- Prevents Underbody Corrosion
- Fast Drying
- Black Colour

Capacity	Part No
400ml	7400.DS805

Multimaster
UniHard 500 Extra Fast 2.5ltr



Capacity	Part No
2.5Ltr	7400.39.798-2.5

Multimaster
UniHard 500 Extra Fast 5ltr



Capacity	Part No
5Ltr	7400.39.798-5

Multimaster 2k HS Acrylic
Matt ClearCoat 4:1 1ltr



Capacity	Part No
1Ltr	400.36.315

Multimaster
1K Thinner Dinitril Extra 1L



Capacity	Part No
1Ltr	7400.61.100-1

Multimaster
Grease & Residue Remover



Capacity	Part No
4Ltr	7400.34.600-4

Polyfill



Capacity	Part No
3Ltr	7400.35.190

Anti-silicone degreaser



Capacity	Part No
5Ltr	7400.62.400

Basecoat Thinner



Capacity	Part No
5Ltr	7400.62.302

2K Universal
Thinner



Capacity	Part No
5Ltr	7400.62.800

**NEW
PRODUCT!**

Multimaster
ANTI RUST ETCH PRIMER 400ML



- Promotes adhesion to all metals inc Aluminium & Galvanised Steel
- Ideal for rubbing through areas in primer before paint application
- Fast Drying
- Grey Colour.

Capacity	Part No
400ML	7400.DS820

Multimaster
MULTIMASTER CELLOUSE THINNER



- 100% Solvent
- Non Recycled
- Ideal for use through Cellulose Products.
- Spray Equipment Maintenance.

Capacity	Part No
200ML	7400.61.110-20

Multimaster
1K NITRO PRIMER 750ML



- Fast Drying
- High Build NitroCellulose Primer
- Suitable for filling surface scratches on a wide range of substrates Metal, Wood, FibreGlass Polyester Fillers etc

Capacity	Part No
750ML	7400.30.150



RAL Colour Swatch

Part No
7400.19.015

Under Body Coating Gun

Professional



Description	PU	OU	Part No
Professional	1	1	1600.4020

100mm Stripe Removal Wheel - M6 Thr. Shank

A vinyl, non-abrasive material.



Description	PU	OU	Part No
High Performance	1	1	1600.1025



Manual Safety Trimmer - Safety Blade

Multi-purposed Plastic and Paper Sheet Cutter



Type	PU	OU	Part No
Single Blade	1	1	1600.0304

Sound Deadening Pads - Smooth

Easy to fit and can be over painted



Dimensions	PU	OU	Part No
250 x 500mm x 10pcs	1	1	1600.4009
250 x 500mm x 10pcs	1	1	1600.4010

Paper Floor Mats - 250pcs.

Packed in a box of 250

Pack of	PU	OU	Part No
250pcs.	1	1	1600.0320

Automatic Welding Helmet

Lens size 90 x 110mm. Viewing area - 42x96 mm

Lens can be set to	PU	OU	Part No
shades 9 to 13	1	1	RSW.WH04E



PFERD Paint Peeler & Car Body Files

High Quality Products - Made in Germany!

Item	PU	OU	Part No
Paint Peeler	1	1	2274.0003
Spare File	10	10	2274.0004

Paint peelers are used for fine finishing work on very small coated surfaces for correcting defects in paintwork, such as foreign matter, dust particles or air bubbles. The file peels off very thin paint layers. A compact design makes the file suitable for use in hard-to-reach areas. The crowned shape prevents scratches. Precision-cut, razor-sharp teeth with an ideal geometry provide a very high quality score-free surface finish. Peeled surfaces can be painted or processed right away. The replaceable file is cut on both sides, and mounted on a plastic holder. The peeling depth is fine-adjustable via two set screws.



Item	Type	Cut	PU	OU	Part No
File Holder	Adjustable	---	1	1	2271.0050
Spare File	350mm - C1	Coarse	1	1	2271.0005
Spare File	350mm - C2	Medium	1	1	2271.0002
Spare File	350mm - C3	Fine	1	1	2271.0003

PFERD car body files are not only for use in the car industry. They are also ideal for sheet metal work, where a smooth and scratch less finish is required for subsequent painting without prior polishing. A special finishing method produces razor sharp teeth ensuring an outstanding cutting capacity. PFERD car body files are produced in 6 different cuts from extra coarse to extra fine. The special feature of the car body file is the convex cross-section. The cutting area is not flat, but is higher in the middle than at the edges.





Oxyline OxyPro X7 Silicone

The X7 series reusable two-filter respirator provides protection against gases, vapours, and dust with two bayonet connectors. Its ergonomic design ensures a secure fit, clear vision, and compatibility with eye protection. Compliant with EN 140, it is durable, comfortable, and allows easy inspection of the breathing membrane.

Part No

1620.X7-M



Oxyline X210V FFPw

The X210V FFP2 R D filtering half mask features a multi-layer polypropylene filter, nose clip, exhalation valve, braided rubber headbands, plastic fastenings, and a polyurethane foam nose seal. Its anatomical design and sealing foam ensure a snug fit for most face shapes, providing comfortable breathing throughout the work shift.

Part No

1620.X210V



Oxyline X310 SV FFP3

The X310 SV FFP3 R D filtering half mask includes a multi-layer polypropylene filter, nose clip, exhalation valve, braided rubber headbands, plastic fastenings, polyurethane foam nose seal, and internal lining for improved comfort and tightness. Its anatomical design ensures easy breathing and a secure fit for most face shapes throughout the work shift.

Part No

1620.X310SV



Oxyline OxyPro X70523 A2P3

The reusable Combined Filter X70523 A2P3 R D, designed for double-filter half-masks, features a bayonet connector and protects against organic vapours, gases above 65°C (brown colour), and airborne dust, fumes, and mist at concentrations up to 0.5%.

Part No

1620.X70523



OxyPro X70926 ABEK1 P3

The reusable Combined Filter X70926 ABEK1P3 R D, for double-filter respirators, features a bayonet connector and protects against organic vapours (brown), inorganic vapours (grey), sulphur dioxide and acid gases (yellow), ammonia (green), and airborne dust, smoke, and mist, at concentrations up to 0.1%.

Part No

1620.X70526

Latex Clear Gloves
Pre-powdered

Qty.	Part No.
10x100pcs	1600.3010

Nitrile Blue Gloves
Powder Free

Qty.	Part No.
10x100pcs	1600.3011

Nylon Handling Work Gloves
Highly flexible

Size	Part No.
Large (Size 9)	1660.0020
Ex.Large (Size 10)	1660.0021

Riggers Work Gloves
Heavy Duty.

Part No.
R.HIL.995527

Maxim Gloves
Extra Thick NBR nitrile glove

Size	Part No.
Small	1600.3051
Large	1600.3053
Extra Large	1600.3054

Welders Gauntlets
Fully lined leather

Size	Part No.
Size: L	RSW.KEVRED

Safety Goggles
Soft frame with good vision

Part No.
R.HIL.990027

Safety Glasses - Anti Fog
Amber - Yellow

Colour	Part No.
Yellow	1630.0010

Safety Glasses - Anti Fog
Clear

Colour	Part No.
Clear	1630.0011

Proseild Disposable Suit - Internal Stitching
Type 5/6 Approved

STANDARD	
Size	Part No.
Medium	1660.0012
Large	1660.0013
XL	1660.0014
XXL	1660.0015
XXXL	1660.0016

NYLON	
Size	Part No.
Medium	4323.1002
Large	4323.1004
XL	4323.1005
XXL	4323.1006
XXXL	4323.1007

**Ox C210 Disposable Coverall**

The OxyChem C210 coverall offers limited protection (Type 5, 6) with a 63g/m² microporous laminated material. It resists infectious agents, protects against radioactive dust, and has antistatic properties. Designed for safety, ergonomics, and comfort during work.

Part No.

1660.0013OX

**Ear Defenders**
Lightweight and sturdy constr.

Part No.
R.HIL.808209

Ear Defenders
Zone 3 High db

Part No.
1660.1002

Foam Ear Plugs (Box 200pcs)
High level of protection

Description	Part No.
Standard	1076.1101
Corded	1076.1102

Disposable Paint Respirator - A1 B1 P2

Included prefilter can be replaced

Item	PU	OU	Part No
Disposable Paint Respirator - A1 B1 P2	1	1	1620.0001
Spare Prefilters	10	10	1620.0021

**HIGH PROTECTION
LOW COST****A1 B1 P2
PROTECTION**

Disposable Mask - No Maintenance
Ideal For Mixing Rooms
Gun Cleaning
Sanding Fresh 2k Paint and Primers
De Masking after Baking
Other Low Exposure
Isocyanate Operations

**THE ONE DISPOSABLE
 PAINT RESPIRATOR
 ON THE MARKET FOR
 ISOCYANATE OPERATIONS**

A - Protection against ORGANIC VAPOURS resulting from the decomposition of living substances and oil derived products: gas, gasoil, high-aromatic solvents (ex: White spirit, cellulosed paints).

B - Protection against INORGANIC VAPOURS and GASES (except carbon monoxide): chlorinated products, aliphatic solvents (polyurethane, isocyanates...).

P - Protection against dust, particles, smoke and mists (P1, P2, P3 classes). Class 2: At least 94% of the aerosol is stopped (i.e. penetration < 6 %).

9000E Series Respirator Mask

Professional

Item	PU	OU	Part No
Respirator Mask Kit (Medium)	1	1	1620.0020
Respirator Mask Kit (Large)	1	1	1620.0019
Organic Vapour Filters (10pcs.)	1	1	1620.0021
Particulate Filter (2 pk)	1	1	1620.0022

Mask – 1620.0040
 Full Face Respirator without cartridges

Replacement Filters – 1620.0041
 Full Face Resp Cartridges (set of 2) A2P3

**Replaces 3M
 06941 & 06782
 with one
 disposable mask!**

**Disposable Cup Mask FFP2**

With Valve

**FFP2
FFP3****Fold Flat Mask FFP2**

With Valve - 10pk

**FFP2****Fold Flat Mask FFP2 - Carbon**

With Valve - 10pk

**P2 - Carbon
Welding Mask**

Type	Part No.	Type	Part No.	Type	Part No.
FFP2 - 20pk	1630.0000	UCF-P2V	1630.0005	UCF-P2CV	1630.0004
FFP3 - 10pk	1630.0003				

50pce Dust Mask

Protects against dust and mists

**Part No.**

R.HIL.600056

5 pce Dust Masks with Valve

Valve gives added comfort

**Part No.**

R.HIL.505054

Air Supplied Visor Respirator

The Valmy air fed breathing mask is designed primarily for use in Automotive Sprayshops

Item	PU	OU	Part No
Visor Respirator	1	1	1620.0006

Modern state of the art headpiece has improved vision and better ventilation/cooling for the wearer.

Modern functional design of the regulator design is compact and affords protection for the replaceable de-odouriser filter element. Higher protection factor than many workshop breathing masks. Integral head covering protects the scalp.

The unit comprises the following items:

Complete headpiece with low pressure warning device.
 Belt mounted preset air flow regulator with deodorizer filter.
 2 disposable visor covers.



SPECIAL (WHITE PASTE): Rust, Diesel, Brake Fluid, Grease



SOLVENT FREE!
Gentle on Hands



with an
integrated
Pump

Solvent-free hand cleansing paste for medium to heavy duty soiling such as lubricants, diesel, brake fluid, cement and rust. It is especially suitable for use in the automotive, construction and metalworking industries.

Capacity	PU	OU	Part No
Jar 550ml	12	12	1599.2414
Tin 4.2 Litre	4	4	1599.2411
Pot 2.8KG with Dispenser	4	4	1599.2418

Capacity	PU	OU	Part No
Bucket 15 Litre	1	1	1599.2416
Bucket 30 Litre	1	1	1599.2419

PLUS (YELLOW GEL): Tar, Rubber, Bitumen, Oil, Grease



with an
integrated
Pump

This extra powerful citrus hand cleansing's gel is ideal for heavy soiling's such as tar, paint, glue and lacquer. It is especially suitable for use in garages, workshops, the printing industry and the painting and decorating industry.

Capacity	PU	OU	Part No
Tin 4.5 Litre	4	4	1599.2424
Pot 2.8KG with Dispenser	4	4	1599.2423

Capacity	PU	OU	Part No
Bucket 15 Litre	1	1	1599.2426

CLASSIC (RED GEL): Rubber, Bitumen, Fat, Grease, Oil



Hand cleansing gel for medium soiling's such as oil, fats, grease, bitumen and rubber. It is especially suitable for use in garages, workshops and the metalworking industry.

Capacity	PU	OU	Part No
Jar 600ml	12	12	1599.2401
Tin 4.5 Litre	4	4	1599.2403

Capacity	PU	OU	Part No
Bucket 15 Litre	1	1	1599.2406
Bucket 30 Litre	1	1	1599.2407

Expert: Extreme specialist soiling's
Paints, inks, adhesives, lacquers and sealants



SOLVENT FREE!



with an
integrated
Pump

Gentle on Hands

Capacity	PU	OU	Part No
1 Litre	1	1	1599.2440
3 Litre	1	1	1599.2442

Dreumex Solu Cleaner
Extremely economical and efficient degreasant



Capacity	PU	OU	Part No
5 Litre	1	1	1599.2650
25 Litre	1	1	1599.2651

Dreumex Wall Mount Dispenser Pumps
Use with 4.5 Tins



Description	PU	OU	Part No
Use with 4.5 Tins	1	1	1599.2557

Hand Care & Protection
Supplied in 250ml Tubes



Item	Use for	PU	OU	Part No
Universal Protect	pre-work protect	12	12	1599.2510
Natural Care	natural recovery of the skin	12	12	1599.2513

Dreumex Power Wipes Pot
Oil, Grease, Fat



Suitable for
cleansing
without water

Description	PU	OU	Part No
Hand Wipes -70pcs	1	1	1599.2431

Dreumex Wall Mount Dispenser Pumps
Use with 15L Buckets



Description	PU	OU	Part No
Bucket 15L (for CL or SP)	1	1	1599.2558
Bucket 15L (for PLUS)	1	1	1599.2559



DREUMEX Dispensers

One2Clean



Description

Unique (touch-free) dispensing system for optimal hygiene.

Advantages

'1 Dispenser' concept for total hand care system.
Quantity control guarantees economical use saves up to 60%!
Easy to mount 'click-and-use' concept.
Removable click-in pump.
Robust and strong.

EX4000



Description

Robust dispenser for use in all industrial environments.

Advantages

Pump is fixed in the cartridge.
A new pump with every new cartridge.
Guarantees optimal hygiene in all industrial environments.

Standard



Description

Standard dispensers for hand cleansers supplied in 4.5 ltr and 15 ltr packagings.

Advantages

Cheapest solution for dispenser wall mounting.
Easy to install.
Easy in use.

SIA PERFO.

Ludzas iela 56, Rīga, Latvia, LV-1003

Tālrunis: +371 29397384

Email: olegs@siaperfo.lv